

ACTIVITES RELIEES A LA CULTURE ET A L'UTILISATION DU PEUPLIER ET DU SAULE AU CANADA

Rapport canadien à la 23e session, Beijing, Chine
Commission internationale du peuplier
Période 2004-2007

Octobre 2008

Annexe X – Liste de littérature Mise à jour 8 décembre 2008



ANNEXE X

Rapport national du Conseil du peuplier du Canada 2008

Liste des documents

Mise à jour le 8 décembre 2009

Ce document est l'Annexe X (Liste des documents) du rapport « Activités reliées à la culture et à l'utilisation du peuplier et du saule au Canada » à la 23e Session de la Commission internationale du peuplier, à Beijing, en Chine, et couvrant la période 2004-2007.

La liste de documents est une compilation de rapports et de documents scientifiques :

§ publiés au Canada par des éditeurs basés au Canada ; et/ou

§ rédigés ou co-rédigés par des personnes demeurant au Canada et publiés à l'étranger.

Cette liste est une partie du Rapport national du Canada présenté à la Commission internationale du peuplier et elle fut produite comme rapport séparé pour en faciliter la distribution. Il est séparé des références fournies dans le document principal du rapport.

Cette liste fut compilée par Cees van Oosten, de SilviConsult Woody Crops Technology Inc., de Nanaimo, en Colombie-Britannique, avec l'aide appréciée de Jaime Lypowy, de l'Université de l'Alberta, à Edmonton, (Alberta).

Critères de recherche

Les critères de recherche suivants furent utilisés pour compiler la liste :

§ Recherche pour thèses/dissertations :

Thèses et dissertations canadiennes – Passerelle Thèses Canada

- Mot-clés dans les titres : peuplier, populus, tremble, salix ou saule
- Publiées : 2004-2007

▪ Journaux/Rapports techniques :

Agricola :

TI (Titre) : Peuplier ou populus ou tremble ou saule ou salix

PS (Pays de la publication) : Canada

AU (Auteur) : Canada ou Canadien

Sommaires CAB :

#1 (peuplier ou populus ou tremble ou saule ou salix) et (PY:CABI=2004-2007)

#2 (canada ou canadien) and (PY:CABI=2004-2007)

#3 (peuplier ou populus ou tremble ou saule ou salix) et (PY:CABI=2004-2007) et
(canada ou canadien) et (PY:CABI=2004-2007)

Aperçus BIOSYS :

#1 Title=(peuplier ou populus ou tremble ou saule ou salix) Chronologie =(2004-2007)

Type de document = Article ou Rencontre ou Chapitre de livre

Recherche des résultats pour = Canada ou Canadien

Base de données canadienne sur la gestion des forêts :

Titre : peuplier ou populus ou tremble ou saule ou salix

Année de la publication entre : 2004-2007

Chercher les auteurs ou les journaux pour contenu canadien

Site Web de Ressources naturelles Canada :

Librairie

Titre : Titre : peuplier ou populus ou tremble ou saule ou salix

Année de la publication entre : 2004-2007

Bibliothèque de Ressources naturelles Canada – Foresterie

Titre : Titre : peuplier ou populus ou tremble ou saule ou salix

Année de la publication entre : 2004-2007

Sommaires Écologie :

TI (Titre) : peuplier ou populus ou tremble ou saule ou salix

Canada ou Canadien n'importe où

Année de la publication entre : 2004-2007

La mise en liste est en ordre alphabétique selon le nom de l'auteur et chaque entrée est numérotée séquentiellement pour aider l'utilisateur.

ANNEXE X – List des documents

Mise à jour le 8 décembre 2008

Référence	Auteurs	Année publiée	Publication	Titre
1		2005	5th North American Forest Ecology Workshop (NAFEW 2005), Chateau Cartier Relais, Aylmer, Quebec (Canada), 12-17 Jun 2005.	
2		2006	2006 International Annual Joint Meeting of the American Society of Agronomy, Crop Science Society of America, and Soil Science Society of America, Indianapolis, Indiana (USA), 12-16 Nov 2006.	
3		2006	2006 Joint Meeting of the American Society of Plant Biologists and the Canadian Society of Plant Physiologists (Plant Biology 2006), Hynes Convention Center, Boston, Massachusetts (USA), 5-9 Aug 2006.	
4		2006	59th Annual Meeting of the Society for Range Management (SRM 2006), Vancouver, British Columbia (Canada), 12-17 Feb 2006.	
5		2007	Canadian-Journal-of-Botany. 2007. 85(11):1102pp	Special Issue: Poplar research in Canada (Part 1 of 2).
6		2007	Canadian-Journal-of-Botany. 2007. 85(12): vii + 1103-1232.	Special Issue: Poplar research in Canada (Part 2 of 2).
7		2007	International Poplar Commission - Environmental Applications of Poplar and Willow Working Party Workshop meeting, Montreal, Québec (Canada), 5-8 June 2007.	Environmental Applications of Poplar and Willow Working Party Workshop meeting
8		2007	The 10th North-American Agroforestry Conference, Québec City, Canada, 10-13 June, 2007	Associer arbres et cultures - When trees and crops get together; Associer arbres et cultures - When trees and crops get together

Référence	Auteurs	Année publiée	Publication	Titre
9	Aasamaa,-K; Niinemets,-U; Sober,-A	2005	Tree-Physiology. 2005; 25(11): 1409-1418. Many ref.	Leaf hydraulic conductance in relation to anatomical and functional traits during <i>Populus tremula</i> leaf ontogeny.
10	Alfaro,-R-I; Humble,-L-M; Gonzalez,-P; Villaverde,-R; Allegro,-G	2007	Forestry-Oxford. 2007; 80(4): 471-479. 31 ref.	The threat of the ambrosia beetle <i>Megaplatypus mutatus</i> (Chapuis) (= <i>Platypus mutatus</i> Chapuis) to world poplar resources.
11	Anderson,-J-A; Luckert,-M-K	2007	Forestry-Chronicle. 2007; 83(1): 92-104. Many ref.	Can hybrid poplar save industrial forestry in Canada?: A financial analysis in Alberta and policy considerations.
12	Archibald,-O-W; Ripley,-E-A	2004	Applied-Geography. 2004; 24(1): 77-95. 35 ref.	Assessment of seasonal change in a young aspen (<i>Populus tremuloides</i> Michx.) canopy using digital imagery.
13	Arend,-M; Fromm,-J	2007	Tree-Physiology. 2007; 27(7): 985-992. Many ref.	Seasonal change in the drought response of wood cell development in poplar.
14	Argus-G-W	2007	Harvard-Papers-in-Botany. 2007, 12:2, 335-368.	<i>Salix</i> (Salicaceae) distribution maps and a synopsis of their classification in North America, north of Mexico.
15	Arimura,-G; Huber,-D-P-W; Bohlmann,-J	2004	Plant-Journal. 2004; 37(4): 603-616. 39 ref.	Forest tent caterpillars (<i>Malacosoma disstria</i>) induce local and systemic diurnal emissions of terpenoid volatiles in hybrid poplar (<i>Populus trichocarpa</i> x <i>deltoidea</i>): cDNA cloning, functional characterization, and patterns of gene expression of (-)-germacrene D synthase, PtdTPS1.
16	Arsenault,-E; Hall,-R-J; Skakun,-R-S; Hogg,-E-H; Michaelian,-M	2007	Pages 1-6 in J.D. Greer, editor. Proceedings of the 11th Forest Service Remote Sensing Applications Conference, April 24-28, 2006, Salt Lake City, Utah, USA. American Society for Photogrammetry and Remote Sensing, Bethesda, Maryland, USA.	Characterizing aspen dieback severity using multiday Landsat data in western Canadian forests.
17	Astrup,-R	2007	PhD Thesis - University of British Columbia	Modeling growth of understory aspen and spruce in western boreal Canada.

Référence	Auteurs	Année publiée	Publication	Titre
18	Astrup,-R; Larson,-B-C	2006	Forest-Ecology-and-Management. 2006; 228(1/3): 241-250. 45 ref.	Regional variability of species-specific crown openness for aspen and spruce in western boreal Canada.
19	Avramidis,-S; Mansfield,-S-D	2005	Holzforschung-. 2005; 59(1): 54-58. 12 ref.	On some physical properties of six aspen clones.
20	Bae-EunKyung; Lee-HyoShin; Lee-JaeSoon; Noh-EunWoon; Jo-JinKi	2006	Tree-Physiology. 2006; 26(11): 1405-1412. 41 ref.	Molecular cloning of a peroxidase gene from poplar and its expression in response to stress.
21	Bailey,-J-K; Deckert,-R; Schweitzer,-J-A; Rehill,-B-J; Lindroth,-R-L; Gehring,-C; Whitham,-T-G	2005	Canadian-Journal-of-Botany. 2005; 83(4): 356-361. 47 ref.	Host plant genetics affect hidden ecological players: links among <i>Populus</i> , condensed tannins, and fungal endophyte infection.
22	Balland,-V; Bhatti,-J; Errington,-R; Castonguay,-M; Arp,-P-A	2006	Canadian-Journal-of-Soil-Science. 2006; 86(2): 203-217. Carbon dynamics in forest and peatland ecosystems. Proceedings of the conference titled 'The science of changing climates: impact on agriculture, forestry and wetlands', held in Edmonton, Alberta, 20-23 July 2004.	Modeling snowpack and soil temperature and moisture conditions in a jack pine, black spruce and aspen forest stand in central Saskatchewan (BOREAS SSA).
23	Barr,-A-G; Black,-T-A; Hogg,-E-H; Griffis,-T-J; Morgenstern,-K; Kljun,-N; Theede,-A; Nesic,-Z	2007	Global-Change-Biology. 2007; 13(3): 561-576. International FLUXNET Workshop, Firenze, Italy, December 2004. Many ref.	Climatic controls on the carbon and water balances of a boreal aspen forest, 1994-2003.
24	Barr,-A-G; Black,-T-A; Hogg,-E-H; Kljun,-N; Morgenstern,-K; Nesic,-Z	2004	Agricultural-and-Forest-Meteorology. 2004; 126(3/4): 237-255. Many ref.	Inter-annual variability in the leaf area index of a boreal aspen-hazelnut forest in relation to net ecosystem production.
25	Bejaoui,-Z; Albouchi,-A; Abassi,-M; El-Aouni,-M-H	2006	Canadian-Journal-of-Forest-Research. 2006; 36(10): 2654-2665. 40 ref.	Effect of moderate or severe waterlogging on biomass production and gas exchange in seedlings of euramerican poplar. Influence d'une hydromorphie moderee ou severe sur la production de biomasse et les echanges gazeux de plants de peuplier euramericain.
26	Belleau,-A; Brais,-S; Pare,-D	2006	Soil-Science-Society-of-America-Journal. 2006; 70(4): 1189-1199. Many ref.	Soil nutrient dynamics after harvesting and slash treatments in boreal aspen stands.

Référence	Auteurs	Année publiée	Publication	Titre
27	Berger,-A-L; Puettmann,-K-J; Host,-G-E	2004	Canadian-Journal-of-Forest-Research. 2004; 34(10): 2159-2168. Many ref.	Harvesting impacts on soil and understory vegetation: the influence of season of harvest and within-site disturbance patterns on clear-cut aspen stands in Minnesota.
28	Bernier,-P-Y; Bartlett,-P; Black,-T-A; Barr,-A; Kljun,-N; McCaughey,-J-H	2006	Agricultural-and-Forest-Meteorology. 2006; 140(1/4): 64-78. 43 ref.	Drought constraints on transpiration and canopy conductance in mature aspen and jack pine stands.
29	Bernier,-P-Y; Lavigne,-M-B; Hogg,-E-H; Trofymow,-J-A	2007	Canadian-Journal-of-Forest-Research. 2007; 37(6): 1024-1033. 33 ref.	Estimating branch production in trembling aspen, Douglas-fir, jack pine, black spruce, and balsam fir.
30	Beschta,-R-L; Ripple,-W-J	2007	Canadian-Journal-of-Forest-Research. 2007; 37(10): 1873-1885. 56 ref.	Wolves, elk, and aspen in the winter range of Jasper National Park, Canada.
31	Beyer,-H-L; Merrill,-E-H; Varley,-N; Boyce,-M-S	2007	Ecological-Applications. 2007; 17(6): 1563-1571.	Willow on Yellowstone's northern range: evidence for a trophic cascade?
32	Bladon,-K-D; Silins,-U; Landhausser,-S-M; Messier,-C; Lieffers,-V-J	2007	Tree-Physiology. 2007; 27(7): 1065-1071	Carbon isotope discrimination and water stress in trembling aspen following variable retention harvesting.
33	Blenis,-P-V	2007	Canadian-Journal-of-Forest-Research. 2007; 37(4): 719-725. 11 ref.	Impact of simulated aspen shoot blight on trembling aspen.
34	Block,-R-M-A; Van Rees,-K-C-J; Knight,-JD	2006	Agroforestry-Systems. 2006; 67(1): 73-84. Many ref.	A review of fine root dynamics in <i>Populus</i> plantations.
35	Bockheim,-J-G; Park,-H; Gallagher,-J	2005	Canadian-Journal-of-Forest-Research. 2005; 35(1): 221-228. 28 ref.	Genotypic variation and recovery of <i>Populus tremuloides</i> from biomass removal and compaction in northern Wisconsin, USA.
36	Bokalo,-M; Comeau,-P-G; Titus,-S-J	2007	Forest-Ecology-and-Management. 2007; 242(2/3): 175-184. 47 ref.	Early development of tended mixtures of aspen and spruce in western Canadian boreal forests.
37	Bonneville,-M-C; Fyles,-J-W	2006	Communications-in-Soil-Science-and-Plant-Analysis. 2006; 37(3/4): 525-539. 34 ref.	Assessing variations in SPAD-502 chlorophyll meter measurements and their relationships with nutrient content of trembling aspen foliage.
38	Boone,-R	2004	MSc Thesis - University of Manitoba	A forest health study of bur oak (<i>Quercus macrocarpa</i> Michx.) and trembling aspen (<i>Populus tremuloides</i> Michx.) stands near a coal-fired generating station, southeastern Manitoba.

Référence	Auteurs	Année publiée	Publication	Titre
39	Boone,-R; Tardif,-J; Westwood,-R	2004	Tree-Ring Research. 2004; 60(1):45-58. 49 ref.	Radial growth of oak and aspen near a coal-fired station, Manitoba, Canada.
40	Bourassa,-M; Bernier,-L; Hamelin,-R-C	2007	Phytopathology-. 2007; 97(5): 603-610. 35 ref.	Genetic diversity in poplar leaf rust (<i>Melampsora medusae</i> f. sp. <i>deltoidea</i>) in the zones of host sympatry and allopatry.
41	Bourgeois,-L; Messier,-C; Brais,-S	2004	Canadian-Journal-of-Forest-Research. 2004; 34(10): 2049-2059. Many ref.	Mountain maple and balsam fir early response to partial and clear-cut harvesting under aspen stands of northern Quebec.
42	Brais,-S; Harvey,-B-D; Bergeron,-Y; Messier,-C; Greene,-D; Belleau,-A; Pare,-D	2004	Canadian-Journal-of-Forest-Research. 2004; 34(2): 431-446. 4th International Workshop on Disturbance Dynamics in Boreal Forests: Disturbance processes and their ecological effects, Prince George, British Columbia, Canada, 9-14 August 2002. Many ref.	Testing forest ecosystem management in boreal mixedwoods of northwestern Quebec: initial response of aspen stands to different levels of harvesting.
43	Bridge,-G	2004	MSc Thesis - University of Alberta	Effects of soil temperature and water table level on <i>Picea glauca</i> , <i>Betula papyrifera</i> , <i>Populus tremuloides</i> , and <i>Populus balsamifera</i> seedlings.
44	Broberg,-C-L	2006	PhD Thesis - Simon Fraser University	Antixenotic and antibiotic resistance of hybrid poplars to the poplar-and-willow borer, <i>Cryptorhynchus lapathi</i> (L.) (Coleoptera: Curculionidae).
45	Broberg,-C-L; Borden,-J-H	2005	Journal-of-Economic-Entomology. 2005; 98(6): 2254-2259. 37 ref.	Hybrid poplar clones with <i>Populus maximowiczii</i> parentage demonstrate postoviposition antibiosis to <i>Cryptorhynchus lapathi</i> (Coleoptera: Curculionidae).
46	Broberg,-C-L; Borden,-J-H; Gries,-R	2005	Canadian-Entomologist. 2005; 137(6): 716-718. 24 ref.	Antennae of <i>Cryptorhynchus lapathi</i> (Coleoptera: Curculionidae) detect two pheromone components of coniferophagous bark beetles in the stems of <i>Salix sitchensis</i> and <i>Salix scouleriana</i> (Salicaceae).
47	Brooks,-J-R; Jiang,-L; Zhang,-Y	2007	Canadian-Journal-of-Forest-Research. 2007; 37(4): 786-794. 22 ref.	Predicting green and dry mass of yellow-poplar: an integral approach.

Référence	Auteurs	Année publiée	Publication	Titre
48	Brown,-K-R; van den Driessche,-R	2005	New Forests. 2005; 29(1):89-104.	Effects of nitrogen and phosphorus fertilization on the growth and nutrition of hybrid poplars on Vancouver Island.
49	Buckmaster,-G	2004	MSc Thesis - University of Alberta	Projecting height growth of understory <i>Picea glauca</i> in stands with an overstory dominated by <i>Populus tremuloides</i> .
50	Calfapietra,-C; de Angelis,-P; Gielen,-B; Lukac,-M; Moscatelli,-M-C; Avino,-G; Lagomarsino,-A; Polle,-A; Ceulemans,-R; Mugnozza,-G-S; Hoosbeek,-M-R; Cotrufo,-M-F	2007	Tree-Physiology. 2007; 27(8): 1153-1163. Many ref.	Increased nitrogen-use efficiency of a short-rotation poplar plantation in elevated CO ₂ concentration.
51	Callan,-B-E; Leal,-I; Foord,-B-M; Dennis,-J-J; van Oosten,-C	2007	Pacific Northwest Fungi. 2007. 2(7):1-9.	<i>Septoria musiva</i> isolated from cankered stems in hybrid poplar stool beds, Fraser Valley, British Columbia.
52	Carmean,-W-H; Hazenberg,-G; Deschamps,-K-C	2006	Forestry-Chronicle. 2006; 82(2): 231-242. Many ref.	Polymorphic site index curves for black spruce and trembling aspen in northwest Ontario.
53	Chen,-H-Y-H; Legare,-S; Bergeron,-Y	2004	Canadian-Journal-of-Botany. 2004; 82(9): 1314-1323. Many ref.	Variation of the understory composition and diversity along a gradient of productivity in <i>Populus tremuloides</i> stands of northern British Columbia, Canada.
54	Chen,-W; Harrington,-T-C	2006	Canadian-Journal-of-Forest-Research. 2006; 36(8): 2047-2057. 42 ref.	Genetic diversity of poplar leaf rust populations in the north-central United States.
55	Choi,-C; Liu-ZhenLan; Adams,-K-L	2006	New-Phytologist. 2006; 172(3): 429-439. 46 ref.	Evolutionary transfers of mitochondrial genes to the nucleus in the <i>Populus</i> lineage and coexpression of nuclear and mitochondrial Sdh4 genes.
56	Christopher,-M-E; Miranda,-M; Major,-I-T; Constabel,-C-P	2004	Planta-. 2004; 219(6): 936-947. Many ref.	Gene expression profiling of systemically wound-induced defenses in hybrid poplar.
57	Clemmensen,-K-E; Michelsen,-A	2006	Canadian-Journal-of-Botany. 2006; 84(5): 831-843. Many ref.	Integrated long-term responses of an arctic-alpine willow and associated ectomycorrhizal fungi to an altered environment.
58	Cloutier,-M; Vigneault,-F; Lachance,-D; Seguin,-A	2005	FEBS-Letters. 2005; 579(21): 4659-4665. 48 ref.	Characterization of a poplar NIMA-related kinase PNek1 and its potential role in meristematic activity.

Référence	Auteurs	Année publiée	Publication	Titre
59	Cochard,-H; Casella,-E; Mencuccini,-M	2007	Tree-Physiology. 2007; 27(12): 1761-1767.32 ref.	Xylem vulnerability to cavitation varies among poplar and willow clones and correlates with yield.
60	Coleman,-H-D; Canam,-T; Kang-Kyu Young; Ellis,-D-D; Mansfield,-S-D	2007	Journal-of-Experimental-Botany. 2007; 58(15/16): 4257-4268. 41 ref.	Over-expression of UDP-glucose pyrophosphorylase in hybrid poplar affects carbon allocation.
61	Coleman,-M-D; Friend,-A-L; Kern,-C-C	2004	Tree-Physiology. 2004; 24(12): 1347-1357. Many ref.	Carbon allocation and nitrogen acquisition in a developing <i>Populus deltoides</i> plantation.
62	Coll,-L; Messier,-C; Delagrange,-S; Berninger,-F	2007	Annals-of-Forest-Science. 2007; 64(3): 275-285. 55 ref.	Growth, allocation and leaf gas exchanges of hybrid poplar plants in their establishment phase on previously forested sites: effect of different vegetation management techniques.
63	Comeau,-P; Heineman,-J; Newsome,-T	2006	Forest-Ecology-and-Management. 2006; 226(1/3): 80-87. Many ref.	Evaluation of relationships between understory light and aspen basal area in the British Columbia central interior.
64	Comeau,-P-G; Filipescu,-C-N; Kabzems,-R; DeLong,-C	2004	Canadian-Journal-of-Forest-Research. 2004; 34(11): 2277-2283. 24 ref.	Early growth of white spruce underplanted beneath spaced and unspaced aspen stands in northeastern British Columbia.
65	Conlin,-T; Cheyne,-D; Dymond,-J	2004	Forestry-Chronicle. 2004; 80(6): 687-693. 32 ref.	Soil temperatures and suckering response of trembling aspen (<i>Populus tremuloides</i> Michx.) following disposal of hog on winter-logged cutblocks.
66	Cooke,-B-J; Roland,-J	2007	Canadian-Journal-of-Forest-Research. 2007; 37(9): 1586-1598. 46 ref.	Trembling aspen responses to drought and defoliation by forest tent caterpillar and reconstruction of recent outbreaks in Ontario.
67	Cooper,-R-L; Ware,-J-V; Cass,-D-D	2004	Canadian-Journal-of-Botany. 2004; 82(11): 1682-1686. 18 ref.	Leaf thickness of <i>Salix</i> spp. (Salicaceae) from the Athabasca sand dunes of northern Saskatchewan, Canada.
68	Cox,-S-E	2005	Canadian-Journal-of-Botany. 2005; 83(10): 1340-1344. 24 ref.	Elevational gradient of neofomed shoot growth in <i>Populus tremuloides</i> .
69	Cronk,-Q-C-B	2005	New-Phytologist. 2005; 166(1): 39-48. Many ref.	Plant eco-devo: the potential of poplar as a model organism.
70	Davis,-M-F; Tuskan,-G-A; Payne,-P; Tschaplinski,-T-J; Meilan,-R	2006	Tree-Physiology. 2006; 26(5): 557-564. 29 ref.	Assessment of <i>Populus</i> wood chemistry following the introduction of a Bt toxin gene.

Référence	Auteurs	Année publiée	Publication	Titre
71	DeGroot,-P; Hopkin,-A-A; Sajan,-R-J	2005	Natural Resources Canada, Canadian Forest Service, Great Lakes Forestry Centre, Sault Ste. Marie, Ont. 2005. 65 p.	Silvicultural techniques and guidelines for the management of major insects and diseases of spruce, pine and aspen in eastern Canada.
72	DeLong,-C	2007	Technical-Report-Ministry-of-Forests-and-Range,-Forest-Science-Program,-British-Columbia. 2007; (039): vi + 18 pp. 28 ref.	Relative impact of aspen competition and soil factors on the performance of lodgepole pine and hybrid white spruce in north-central British Columbia.
73	DesRochers,-A; Thomas,-B-R; Butson,-R	2004	Forest-Ecology-and-Management. 2004; 199(1): 39-50. 34 ref.	Reclamation of roads and landings with balsam poplar cuttings.
74	DesRochers,-A; van den Driessche,-R; Thomas,-B-R	2006	Forest-Ecology-and-Management. 2006; 232(1/3): 216-225. 43 ref.	NPK fertilization at planting of three hybrid poplar clones in the boreal region of Alberta.
75	DesRochers-A; van den Driessche-R; Thomas-BR	2007	Canadian Journal of Botany. 85(11):1046-1057. many ref.	The interaction between nitrogen source, soil pH, and drought in the growth and physiology of three poplar clones.
76	Devito,-K-J; Creed,-I-F; Fraser,-C-J-D	2005	Hydrological-Processes. 2005; 19(1): 3-25. Canadian Geophysical Union - Hydrology Section, Banff, Canada, May 2003, and 12th International Union of Geodesy and Geophysics General Assembly, Sapporo, Japan, 2003. 42 ref.	Controls on runoff from a partially harvested aspen-forested headwater catchment, Boreal Plain, Canada.
77	Diner,-B	2006	MSc Thesis - McGill University	Plant-herbivore interactions between North American porcupines (<i>Erethizon dorsatum</i>) and trembling aspens (<i>Populus tremuloides</i>).
78	Doak,-P; Wagner,-D; Watson,-A	2007	Canadian-Journal-of-Botany. 2007; 85(1): 1-9. 49 ref.	Variable extrafloral nectary expression and its consequences in quaking aspen.
79	Dockrill,-C-W-M; Bailey,-A-W; Blenis,-P-V; King,-J-R	2006	Rangeland-Ecology-and-Management. 2006; 59(2): 212-215.	Seasonal variation in resistance of aspen stems to shearing force.
80	Dockrill,-C-W-M; Blenis,-P-V; Bailey,-A-W; King,-J-R	2004	Forestry-Chronicle. 2004; 80(2): 257-261. 16 ref.	Effect of summer cattle grazing on aspen stem injury, mortality and growth.
81	Dong-ShuFu; Cheng,-L-L; Scagel,-C-F; Fuchigami,-LH	2004	Tree-Physiology. 2004; 24(3): 355-359. 21 ref.	Nitrogen mobilization, nitrogen uptake and growth of cuttings obtained from poplar stock plants grown in different N regimes and sprayed with urea in autumn.

Référence	Auteurs	Année publiée	Publication	Titre
82	Driscoll,-J	2007	MSc Thesis - Memorial University of Newfoundland	Ex situ conservation protocols for the rare plants <i>Braya longii</i> (endangered), <i>Braya fernaldii</i> (threatened) (Brassicaceae), and <i>Salix jejuna</i> (endangered)(Salicaceae) endemic to the Limestone Barrens of Newfoundland.
83	El-Khatib,-R-T; Hamerlynck,-E-P; Gallardo,-F; Kirby,-E-G	2004	Tree-Physiology. 2004; 24(7): 729-736. 31 ref.	Transgenic poplar characterized by ectopic expression of a pine cytosolic glutamine synthetase gene exhibits enhanced tolerance to water stress.
84	Engel,-V-C; Griffin,-K-L; Murthy,-R; Patterson,-L; Klimas,-C; Potosnak,-M	2004	Tree-Physiology. 2004; 24(10): 1137-1145. 37 ref.	Growth CO ₂ concentration modifies the transpiration response of <i>Populus deltoides</i> to drought and vapor pressure deficit.
85	Escher,-P; Eiblmeier,-M; Hetzger,-I; Rennenberg,H	2004	Tree-Physiology. 2004; 24(6): 639-650. 35 ref.	Spatial and seasonal variation in amino compounds in the xylem sap of a mistletoe (<i>Viscum album</i>) and its hosts (<i>Populus</i> spp. and <i>Abies alba</i>).
86	Feau,-N	2005	PhD Thèse - Université Laval	Intra and interspecific relationships of <i>Mycosphaerella populinum</i> (anamorph <i>Septoria musiva</i>) a poplar pathogenic agent. Relations intra et interspécifique chez <i>Mycosphaerella populinum</i> (anamorphe <i>Septoria musiva</i>) agent pathogène des peupliers.
87	Feau,-N; Bernier,-L	2004	Plant-Disease. 2004; 88(7): 770. 4 ref.	First report of shining willow as a host plant for <i>Septoria musiva</i> .
88	Feau,-N; Joly,-D-L; Hamelin,-R-C	2007	Canadian-Journal-of-Botany. 2007; 85(12): 1127-1135. Many ref.	Poplar leaf rusts: model pathogens for a model tree.
89	Filiatrault,-P; Camire,-C; Norrie,-J-P; Beauchamp,-CJ	2006	Resources,-Conservation-and-Recycling. 2006; 48(3): 209-226.	Effects of de-inking paper sludge on growth and nutritional status of alder and aspen.
90	Filipescu,-C-N; Comeau,-P-G	2007	Canadian-Journal-of-Forest-Research. 2007; 37(9): 1701-1713. Many ref.	Aspen competition affects light and white spruce growth across several boreal sites in western Canada.

Référence	Auteurs	Année publiée	Publication	Titre
91	Filipescu,-C-N; Comeau,-P-G	2007	Forest-Ecology-and-Management. 2007; 247(1/3): 175-184. Many ref.	Competitive interactions between aspen and white spruce vary with stand age in boreal mixedwoods.
92	Floate,-K-D	2004	Canadian-Journal-of-Botany. 2004; 82(2): 253-264. 34 ref.	Extent and patterns of hybridization among the three species of <i>Populus</i> that constitute the riparian forest of southern Alberta, Canada.
93	Fodor,-F; Gaspar,-L; Morales,-F; Gogorcena,-Y; Lucena,-J-J; Cseh,-E; Kropfl,-K; Abadia,-J; Sarvari,-E	2005	Tree-Physiology. 2005; 25(9): 1173-1180. 42 ref.	Effects of two iron sources on iron and cadmium allocation in poplar (<i>Populus alba</i>) plants exposed to cadmium.
94	Franks,-C	2007	MSc Thesis - University of Lethbridge	Phytoremediation of pharmaceuticals with <i>Salix exigua</i> .
95	Fraser,-E; Landhausser,-S; Lieffers,-V	2004	Forestry-Chronicle. 2004; 80(2): 251-256. 18 ref.	The effect of fire severity and salvage logging traffic on regeneration and early growth of aspen suckers in north-central Alberta.
96	Fraser,-E-C; Landhausser,-S-M; Lieffers,-V-J	2006	New-Forests. 2006; 32(3): 299-306. 24 ref.	Does mechanical site preparation affect trembling aspen density and growth 9-12 years after treatment?
97	Fraser,-E-C; Lieffers,-V-J; Landhausser,-S-M	2004	Canadian-Journal-of-Botany. 2004; 82(3): 310-315. 46 ref.	Wounding of aspen roots promotes suckering.
98	Frey,-B-R; Lieffers,-V-J; Hogg,-E-H; Landhausser,-S-M	2004	Canadian-Journal-of-Forest-Research. 2004; 34(7): 1379-1390. Many ref.	Predicting landscape patterns of aspen dieback: mechanisms and knowledge gaps.
99	Gage,-E-A; Cooper,-D-J	2005	Canadian-Journal-of-Botany. 2005; 83(6): 678-687. Many ref.	Patterns of willow seed dispersal, seed entrapment, and seedling establishment in a heavily browsed montane riparian ecosystem.
100	Gaumont-Guay,-D; Black,-T-A; Griffis,-T-J; Barr,-A-G; Morgenstern,-K; Jassal,-R-S; Nesic,-Z	2006	Agricultural-and-Forest-Meteorology. 2006; 140(1/4): 203-219. Many ref.	Influence of temperature and drought on seasonal and interannual variations of soil, bole and ecosystem respiration in a boreal aspen stand.
101	Gelhorn,-L-A	2005	MSc Thesis - University of Alberta	Decapitation of trembling aspen (<i>Populus tremuloides</i>) to simulate aspen shoot blight [<i>Pollaccia americana</i>].
102	Gelhorn,-L-A; Blenis,-P-V	2005	Canadian-Journal-of-Plant-Pathology. 2005; 27(4): 547-558. 36 ref.	Evaluating mechanical wounding as a surrogate for aspen shoot blight caused by <i>Pollaccia americana</i> in the assessment of crop loss.

Référence	Auteurs	Année publiée	Publication	Titre	
103	Gielen,-B; Calfapietra,-C; Lukac,-M; Wittig,-V-E; Angelis,-P-de; Janssens,-I-A; Moscatelli,-M-C; Grego,-S; Cotrufo,-M-F; Godbold,-D-L;	Hoosbeek,-M-R; Long,-S-P; Miglietta,-F; Polle,-A; Bernacchi,-C-J; Davey,-P-A; Ceulemans,-R; Scarascia-Mugnozza,-G-E	2005	Tree-Physiology. 2005; 25(11): 1399-1408. Many ref.	Net carbon storage in a poplar plantation (POPFACE) after three years of free-air CO ₂ enrichment.
104	Gilchrist,-E-J; Haughn,-G-W; Ying,-C-C; Otto,-S-P; Zhuang-Jun; Cheung,-D; Hamberger,-B; Aboutorabi,-F; Kalyanya,-T; Johnson,-L; Bohlmann,-J; Ellis,-B-E; Douglas,-C-J; Cronk,-Q-C-B		2006	Molecular-Ecology. 2006; 15(5): 1367-1378. 38 ref.	Use of Ecotilling as an efficient SNP discovery tool to survey genetic variation in wild populations of <i>Populus trichocarpa</i> .
105	Gornall,-J-L; Guy,-R-D		2007	Canadian-Journal-of-Botany. 2007; 85(12): 1202-1213. 42 ref.	Geographic variation in ecophysiological traits of black cottonwood (<i>Populus trichocarpa</i>).
106	Grant,-R-F; Black,-T-A; Gaumont-Guay,-D; Klujn,-N; Barr,-A-G; Morgenstern,-K; Nesic,-Z		2006	Agricultural-and-Forest-Meteorology. 2006; 140(1/4): 152-170. Many ref.	Net ecosystem productivity of boreal aspen forests under drought and climate change: mathematical modelling with Ecosys.
107	Greene,-D-F; Noel,-J; Bergeron,-Y; Rousseau,-M; Gauthier,-S		2004	Canadian-Journal-of-Forest-Research. 2004; 34(9): 1845-1857. Many ref.	Recruitment of <i>Picea mariana</i> , <i>Pinus banksiana</i> , and <i>Populus tremuloides</i> across a burn severity gradient following wildfire in the southern boreal forest of Quebec.
108	Greifenhagen,-S; Pitt,-D-G; Wester,-M-C; Bell,-F-W		2005	Forestry-Chronicle. 2005; 81(4): 548-558. Many ref.	Juvenile response to conifer release alternatives on aspen-white spruce boreal mixedwood sites. Part II: Quality of aspen regeneration.
109	Griffis,-T-J; Black,-T-A; Gaumont-Guay,-D; Drewitt,-G-B; Nesic,-Z; Barr,-A-G; Morgenstern,-K; Kljun,-N		2004	Agricultural-and-Forest-Meteorology. 2004; 125(3/4): 207-223. Many ref.	Seasonal variation and partitioning of ecosystem respiration in a southern boreal aspen forest.
110	Groot,-A		2005	Canadian-Journal-of-Forest-Research. 2005; 35(11): 2664-2670. 19 ref.	Biases in LI-COR Plant Canopy Analyzer estimates of seasonal light interception by black spruce and trembling aspen canopies.
111	Gunderson,-J-J; Knight,-J-D; Van Rees,-K-C-J		2007	Journal-of-Environmental-Quality. 2007; 36(4): 927-934. 41 ref.	Impact of ectomycorrhizal colonization of hybrid poplar on the remediation of diesel-contaminated soil.

Référence	Auteurs	Année publiée	Publication	Titre
112	Gunderson-J-J	2007	MSc Thesis - University of Saskatchewan	The effect of hydrocarbon contamination and mycorrhizal inoculation on poplar fine root dynamics.
113	Gu-RuiSheng; Fonseca,-S; Puskas,-L-G; Hackler Jr.,-L; Zvara,-A; Dudit,-D; Pais,-M-S	2004	Tree-Physiology. 2004; 24(3): 265-276. Many ref.	Transcript identification and profiling during salt stress and recovery of <i>Populus euphratica</i> .
114	Haeussler,-S; Bergeron,-Y	2004	Canadian-Journal-of-Forest-Research. 2004; 34(2): 274-288. 4th International Workshop on Disturbance Dynamics in Boreal Forests: Disturbance processes and their ecological effects, Prince George, British Columbia, Canada, 9-14 August 2002.. Many ref.	Range of variability in boreal aspen plant communities after wildfire and clear-cutting.
115	Haeussler,-S; Bergeron,-Y; Brais,-S; Harvey,-B-D	2007	Canadian-Journal-of-Botany. 2007; 85(12): 1158-1170. Many ref.	Natural dynamics-based silviculture for maintaining plant biodiversity in <i>Populus tremuloides</i> -dominated boreal forests of eastern Canada.
116	Haeussler,-S; Kabzems,-R	2005	Canadian-Journal-of-Forest-Research. 2005; 35(8): 2030-2044. Many ref.	Aspen plant community response to organic matter removal and soil compaction.
117	Haikio,-E; Freiwald,-V; Silfver,-T; Beuker,-E; Holopainen,-T; Oksanen,-E	2007	Canadian-Journal-of-Forest-Research. 2007; 37(11): 2326-2336. 42 ref.	Impacts of elevated ozone and nitrogen on growth and photosynthesis of European aspen (<i>Populus tremula</i>) and hybrid aspen (<i>P. tremula x Populus tremuloides</i>) clones.
118	Hall,-R-J; Skakun,-R-S; Arsenault,-E.; Thomas,-S-J	2006	Pages 4146-4148 in Proceedings of the Geoscience and Remote Sensing Symposium/ 27th Canadian on Remote Sensing, July 31-August 4, 2006, Denver, Colorado, USA. IEEE Piscataway, New Jersey, USA. 4 p.	Monitoring annual aspen defoliation patterns by detecting changes in leaf area from multitemporal Landsat TM Imagery.
119	Hamberger,-B; Ellis,-M; Friedmann,-M; de Azevedo Souza,-C; Barbazuk,-B; Douglas,-C-J	2007	Canadian-Journal-of-Botany. 2007; 85(12): 1182-1201. Many ref.	Genome-wide analyses of phenylpropanoid-related genes in <i>Populus trichocarpa</i> , <i>Arabidopsis thaliana</i> , and <i>Oryza sativa</i> : the <i>Populus</i> lignin toolbox and conservation and diversification of angiosperm gene families.

Référence	Auteurs	Année publiée	Publication	Titre
120	Hamel,-L-P; Miles,-G-P; Samuel,-M-A; Ellis,-B-E; Seguin,-A; Beaudoin,-N	2005	Tree-Physiology. 2005; 25(3): 277-288. Many ref.	Activation of stress-responsive mitogen-activated protein kinase pathways in hybrid poplar (<i>Populus trichocarpa</i> x <i>Populus deltoides</i>).
121	Hammond,-H-E-J; Langor,-D-W; Spence,-J-R	2004	Canadian-Journal-of-Forest-Research. 2004; 34(1): 1-19. Many ref.	Saproxylic beetles (Coleoptera) using <i>Populus</i> in boreal aspen stands of western Canada: spatiotemporal variation and conservation of assemblages.
122	Hamzeh,-M	2004	MSc Thesis - Concordia University	Molecular phylogeny of the tree genus <i>Populus</i> (Salicaceae) based on chloroplast and nuclear DNA sequence data.
123	Hamzeh,-M; Dayanandan,-S	2004	American-Journal-of-Botany. 2004; 91(9): 1398-1408. 50 ref.	Phylogeny of <i>Populus</i> (Salicaceae) based on nucleotide sequences of chloroplast <i>trnT-trnF</i> region and nuclear rDNA.
124	Hamzeh,-M; Sawchyn,-C; Périnet,-P; Dayanandan,S	2007	Canadian-Journal-of-Botany. 2007; 85(12): 1227-1232. Many ref.	Asymmetrical natural hybridization between <i>Populus deltoides</i> and <i>P. balsamifera</i> (Salicaceae).
125	Hamzeh,-P; Périnet,-P; Dayanandan,-S	2006	Journal of the Torrey Botanical Society. 2006. 133(4):519-527. 32 ref.	Genetic relationships among species of <i>Populus</i> (Salicaceae) based on nuclear genomic data.
126	Hannam,-K-D; Quideau,-S-A; Kishchuk,-B-E	2007	Applied-Soil-Ecology. 2007; 35(3): 635-647. Many ref.	The microbial communities of aspen and spruce forest floors are resistant to changes in litter inputs and microclimate.
127	Hannam,-K-D; Quideau,-S-A; Kishchuk,-B-E; Oh,-S-W; Wasylichen,-R-E	2005	Canadian-Journal-of-Forest-Research. 2005; 35(10): 2457-2468. Many ref.	Forest-floor chemical properties are altered by clear-cutting in boreal mixedwood forest stands dominated by trembling aspen and white spruce.
128	Hannam,-K-D; Quideau,-S-A; Oh,-S-W; Kishchuk,-B-E; Wasylichen,-R-E	2004	Soil-Science-Society-of-America-Journal. 2004; 68(5): 1735-1743. 48 ref.	Forest floor composition in aspen- and spruce-dominated stands of the boreal mixedwood forest.
129	Harrison,-E-J; Bush,-M; Plett,-J-M; McPhee,-D-P; Vitez,-R; O'Malley,-B; Vijaya-Sharma; Bosnich,-W; Seguin,-A; MacKay,-J; Regan,-S	2007	Canadian-Journal-of-Botany. 2007; 85(11): 1071-1081. Many ref.	Diverse developmental mutants revealed in an activation-tagged population of poplar.
130	Haruta,-M	2004	PhD Thesis - University of Victoria	Analysis of inducible anti-herbivore defenses and signals in <i>Populus</i> .

Référence	Auteurs	Année publiée	Publication	Titre
131	Harvey,-B-D; Brais,-S	2007	Canadian-Journal-of-Forest-Research. 2007; 37(9): 1525-1533.Natural disturbance-based silviculture: managing for complexity. Fifth conference of the IUFRO 1.05 Uneven-aged Silviculture Research Group, Rouyn-Noranda, Quebec, Canada, 14-18 May 2006. 44 ref.	Partial cutting as an analogue to stem exclusion and dieback in trembling aspen (<i>Populus tremuloides</i>) dominated boreal mixedwoods: implications for deadwood dynamics.
132	Hermle,-S; Vollenweider,-P; Gunthardt-Goerg,-M-S; McQuattie,-C-J; Matyssek,-R	2007	Tree-Physiology. 2007; 27(11): 1517-1531. many ref.	Leaf responsiveness of <i>Populus tremula</i> and <i>Salix viminalis</i> to soil contaminated with heavy metals and acidic rainwater.
133	Hill,-S-B	2005	MSc Thesis - Lakehead University	Small-scale disturbance and vegetation dynamics in trembling aspen dominated forests in northeastern Ontario.
134	Hill,-S-B; Mallik,-A-U; Chen,-H-Y-H	2005	Canadian-Journal-of-Forest-Research. 2005; 35(8): 1942-1951. Many ref.	Canopy gap disturbance and succession in trembling aspen dominated boreal forests in northeastern Ontario.
135	Hogg,-E-H; Brandt,-J-P; Kochtubajda,-B	2005	Canadian-Journal-of-Forest-Research. 2005; 35(3): 610-622. Many ref.	Factors affecting interannual variation in growth of western Canadian aspen forests during 1951-2000.
136	Hu-Lei; Lu-Hai; Liu-QunLu; Chen-XueMei; Jiang-XiangNing	2005	Tree-Physiology. 2005; 25(10): 1273-1281. 36 ref.	Overexpression of mtlD gene in transgenic <i>Populus tomentosa</i> improves salt tolerance through accumulation of mannitol.
137	Innes,-L; Marchand,-L; Frey,-P; Bourassa,-M; Hamelin,-R-C	2004	Plant-Disease. 2004; 88(1): 85. 3 ref.	First report of <i>Melampsora larici-populina</i> on <i>Populus</i> spp. in eastern North America.
138	Jerabkova,-L; Prescott,-C-E	2007	Forest-Ecology-and-Management. 2007; 242(2/3): 209-216. Many ref.	Post-harvest soil nitrate dynamics in aspen- and spruce-dominated boreal forests.
139	Johnson,-J-D; Kim,-Y	2005	Canadian-Journal-of-Forest-Research. 2005; 35(4): 763-771. Many ref.	The role of leaf chemistry in <i>Melampsora medusae</i> infection of hybrid poplar: effects of leaf development and fungicide treatment.

Référence	Auteurs	Année publiée	Publication	Titre
140	Johnson,-L-A	2007	PhD Thesis - University of British Columbia	An investigation into the molecular basis of secondary vascular tissue formation in poplar and Arabidopsis with an emphasis on the role of auxin and the auxin response factor MONOPTERIS.
141	Johnson,-L-A; Douglas,-C-J	2007	Canadian-Journal-of-Botany. 2007; 85(11): 1058-1070. Many ref.	Populus trichocarpa MONOPTEROS/AUXIN RESPONSE FACTOR5 (ARF5) genes: comparative structure, sub-functionalization, and Populus-Arabidopsis microsynteny.
142	Johnstone,-J-F	2005	Canadian-Journal-of-Forest-Research. 2005; 35(2): 483-486. 22 ref.	Effects of aspen (<i>Populus tremuloides</i>) sucker removal on postfire conifer regeneration in central Alaska.
143	Jones,-B; Tardif,-J; Westwood,-R	2004	Canadian-Journal-of-Botany. 2004; 82(5): 590-597. 40 ref.	Weekly xylem production in trembling aspen (<i>Populus tremuloides</i>) in response to artificial defoliation.
144	Jonsson,-T-H	2006	Tree-Physiology. 2006; 26(7): 905-914. 48 ref.	Terminal bud failure of black cottonwood (<i>Populus trichocarpa</i>) exposed to salt-laden winter storms.
145	Ju-WeiMin; Chen,-J-M; Black,-T-A; Barr,-A-G; Liu,-J; Chen-BaoZhang	2006	Agricultural-and-Forest-Meteorology. 2006; 140(1/4): 136-151. 49 ref.	Modelling multi-year coupled carbon and water fluxes in a boreal aspen forest.
146	Kabba,-B-S; Knight,-J-D; Van Rees,-K-C-J	2007	Plant-and-Soil. 2007; 298(1/2): 203-217. 47 ref.	Growth of hybrid poplar as affected by dandelion and quackgrass competition.
147	Kabzems,-R; Garcia,-O	2004	Canadian-Journal-of-Forest-Research. 2004; 34(2): 384-395. 4th International Workshop on Disturbance Dynamics in Boreal Forests: Disturbance processes and their ecological effects, Prince George, British Columbia, Canada, 9-14 August 2002. 32 ref.	Structure and dynamics of trembling aspen - white spruce mixed stands near Fort Nelson, B.C.
148	Kabzems,-R; Haeussler,-S	2005	Canadian-Journal-of-Forest-Research. 2005; 35(8): 2045-2055. 44 ref.	Soil properties, aspen, and white spruce responses 5 years after organic matter removal and compaction treatments.

Référence	Auteurs	Année publiée	Publication	Titre
149	Kabzems,-R; Nemec,-A-L; Farnden,-C	2007	BC-Journal-of-Ecosystems-and-Management. 2007; 8(1): 1-14. 32 ref.	Growing trembling aspen and white spruce intimate mixtures: early results (13-17 years) and future projections.
150	Kalyn,-A-L; Van Rees,-K-C-J	2006	Agricultural-and-Forest-Meteorology. 2006; 140(1/4): 236-243. 37 ref.	Contribution of fine roots to ecosystem biomass and net primary production in black spruce, aspen, and jack pine forests in Saskatchewan.
151	Kang-Kyu Young; Bradic,-S; Avramidis,-S; Mansfield,-S-D	2007	Holzforschung-. 2007; 61(1): 65-73. 18 ref.	Kiln-drying lumber quality of hybrid poplar clones.
152	Karnosky,-D-F; Darbah,-J-N; Sôber,-A; Riikonen,-J.; Kets,-K; Nelson,-N; Kubiske,-M-E; Percy,-K-E	2006	Pages 325-329 in G. Wieser and M. Tausz, editors., Proceedings: UN-ECE Critical Levels of Ozone: Further Applying and Developing the Flux-based concept. November 15-19, 2005, Obergurgl, Tyrol, Austria. Federal Research and Training Center for Forests, Natural Hazards and Landscape (BFW), Vienna, Austria.	Ozone effects on growth and productivity of <i>Populus tremuloides</i> Michx.: a comparison of results from OTC, FACE, and ozone gradient studies with a common set of genetic materials.
153	Kelleher,-C-T; Chiu,-R; Shin-Hee Sun; Bosdet,-I-E; Krzywinski,-M-J; Fjell,-C-D; Wilkin,-J; Yin-Tong Ming; DiFazio,-S-P; Ali,-J; Asano,-J-K; Chan,-S; Cloutier,-A; Girn,-N; Leach,-S; Lee,-D; S; Zhuang-Jun	2007	Plant-Journal. 2007; 50(6): 1063-1078. Many ref.	A physical map of the highly heterozygous <i>Populus</i> genome: integration with the genome sequence and genetic map and analysis of haplotype variation.
154	Kern,-C-C; Friend,-A-L; Johnson,-JMF; Coleman,-MD	2004	Tree-Physiology. 2004; 24(6): 651-660. Many ref.	Fine root dynamics in a developing <i>Populus deltoides</i> plantation.
155	Keyser,-T-L; Smith,-F-W; Shepperd,-W-D	2005	Canadian-Journal-of-Forest-Research. 2005; 35(11): 2679-2684. 31 ref.	Trembling aspen response to a mixed-severity wildfire in the Black Hills, South Dakota, USA.
156	Kort,-J	2006	PhD Thesis - University of Toronto	Hydraulic and canopy conductance in hybrid poplar clones.
157	Kort,-J; Blake,-T-J	2007	Canadian-Journal-of-Botany. 2007. 85(11):1033-1040. 27 ref.	Sap velocity as an indicator of diurnal and long-term hydraulic resistance changes in mature 'Walker' hybrid poplar trees.
158	Kosola,-K-R; Parry,-D; Workmaster,-B-A-A	2006	Tree-Physiology. 2006; 26(12): 1607-1611. 35 ref.	Responses of condensed tannins in poplar roots to fertilization and gypsy moth defoliation.

Référence	Auteurs	Année publiée	Publication	Titre
159	Krishnan,-P; Black,-T-A; Grant,-N-J; Barr,-A-G; Hogg,-E-H; Jassal,-R-S; Morgenstern,-K	2006	Agricultural and Forest Meteorology. 2006; 139(3-4):208-223. 73 ref.	Impact of changing soil moisture distribution on net ecosystem productivity of a boreal aspen forest during and following drought.
160	Krzic,-M; Page,-H; Newman,-R-F; Broersma,-K	2004	BC-Journal-of-Ecosystems-and-Management. 2004/2005; 5(2): 30-38. 29 ref.	Aspen regeneration, forage production, and soil compaction on harvested and grazed boreal aspen stands.
161	Labrecque,-M; Teodorescu,-T-I	2005	Biomass-and-Bioenergy. 2005; 29(1): 1-9. 21 ref.	Field performance and biomass production of 12 willow and poplar clones in short-rotation coppice in southern Quebec (Canada).
162	Lamason,-C; Gong-Meng	2007	Forest-Products-Journal. 2007; 57(10):64-68. 10 ref.	Optimization of pressing parameters for mechanically surface-densified aspen.
163	Landhausser,-S-M; Lieffers,-V-J; Chow,-P	2007	Canadian-Journal-of-Soil-Science. 2007; 87(4): 361-367. 27 ref.	Impact of chipping residues and their leachate on the initiation and growth of aspen root suckers.
164	Landhausser,-S-M; Lieffers,-V-J; Mulak,-T	2006	Scandinavian-Journal-of-Forest-Research. 2006; 21(4): 299-305. 35 ref.	Effects of soil temperature and time of decapitation on sucker initiation of intact <i>Populus tremuloides</i> root systems.
165	Landhausser,-S-M; Mulak,-T-L; Lieffers,-V-J	2007	Forestry-Oxford. 2007; 80(4): 481-488. 27 ref.	The effect of roots and litter of <i>Calamagrostis canadensis</i> on root sucker regeneration of <i>Populus tremuloides</i> .
166	Lapointe,-B; Bradley,-R; Parsons,-W; Brais,-S	2006	Silva-Fennica. 2006; 40(3): 459-471. many ref.	Nutrient and light availability to white spruce seedlings in partial and clearcut harvested aspen stands.
167	Latva-Karjanmaa,-T; Penttila,-R; Siitonen,-J	2007	Canadian-Journal-of-Forest-Research. 2007; 37(6): 1070-1081. Many ref.	The demographic structure of European aspen (<i>Populus tremula</i>) populations in managed and old-growth boreal forests in eastern Finland.
168	LeBoldus,-J-M	2007	MSc Thesis - University of Alberta	Evaluating and attenuating the risk of <i>Septoria</i> canker in the <i>Septoria musiva</i> -hybrid poplar pathosystem.
169	LeBoldus,-J-M; Blenis,-P-V; Thomas,-B-R	2007	Canadian-Journal-of-Botany. 2007; 85(11): 1098-1102. 18 ref.	Evaluating the interaction between genotype and water stress in the hybrid poplar - <i>Septoria musiva</i> pathosystem.

Référence	Auteurs	Année publiée	Publication	Titre
170	Lee,-P	2004	Canadian-Journal-of-Botany. 2004; 82(10): 1468-1480. Many ref.	The impact of burn intensity from wildfires on seed and vegetative banks, and emergent understory in aspen-dominated boreal forests.
171	Lee-HyoShin; Lee-JaeSoon; Bae-EunKyung; Choi-YoungIm; Noh-EunWoon	2005	Tree-Physiology. 2005; 25(4): 395-401. 30 ref.	Differential expression of a poplar copper chaperone gene in response to various abiotic stresses.
172	Legare,-S; Bergeron,-Y; Pare,-D	2005	Forest-Ecology-and-Management. 2005; 208(1/3): 211-222. 49 ref.	Effect of aspen (<i>Populus tremuloides</i>) as a companion species on the growth of black spruce (<i>Picea mariana</i>) in the southwestern boreal forest of Quebec.
173	Legare,-S; Pare,-D; Bergeron,-Y	2004	Canadian-Journal-of-Forest-Research. 2004; 34(2): 405-416. 4th International Workshop on Disturbance Dynamics in Boreal Forests: Disturbance processes and their ecological effects, Prince George, British Columbia, Canada, 9-14 August 2002. 45 ref.	The responses of black spruce growth to an increased proportion of aspen in mixed stands.
174	Legare,-S; Pare,-D; Bergeron,-Y	2005	Plant-and-Soil. 2005; 275(1/2): 207-220. Many ref.	Influence of aspen on forest floor properties in black spruce-dominated stands.
175	Liang,-X-E; Joshi,-C-P	2004	Tree-Physiology. 2004; 24(5): 543-550. 35 ref.	Molecular cloning of ten distinct hypervariable regions from the cellulose synthase gene superfamily in aspen trees.
176	Liberloo,-M; Dillen,-S-Y; Calfapietra,-C; Marinari,-S; Luo-ZhiBin; de Angelis,-P; Ceulemans,-R	2005	Tree-Physiology. 2005; 25(2): 179-189. 46 ref.	Elevated CO ₂ concentration, fertilization and their interaction: growth stimulation in a short-rotation poplar coppice (EUROFACE).
177	Lieffers-Pritchard,-S-M	2006	MSc Thesis - University of Saskatchewan	Impact of slash loading on soil temperature and aspen regeneration.
178	Lin,-J; Gunter,-L-E; Harding,-S-A; Kopp,-R-F; McCord,-R-P; Tsai,-C-J; Tuskan,-G-A; Smart,-L-B	2007	Tree-Physiology. 2007; 27(11): 1575-1583. 36 ref.	Development of AFLP and RAPD markers linked to a locus associated with twisted growth in corkscrew willow (<i>Salix matsudana</i> 'Tortuosa').
179	Linden,-A-W	2007	MSc Thesis - University of Manitoba	An investigation into mechanisms of shoot bending in a clone of <i>Populus tremuloides</i> exhibiting crooked architecture.

Référence	Auteurs	Année publiée	Publication	Titre
180	Liu,-L-L; King,-J-S; Giardina,-C-P	2005	Tree-Physiology. 2005; 25(12): 1511-1522. Many ref.	Effects of elevated concentrations of atmospheric CO ₂ and tropospheric O ₃ on leaf litter production and chemistry in trembling aspen and paper birch communities.
181	Liu,-N	2004	MSc Thesis - Lakehead University	Genetic variation in physiology and growth under ambient and elevated CO ₂ concentrations in four provenances of <i>Populus tremuloides</i> from northwestern Ontario.
182	Liu-Ning; Dang-QingLai; Parker,-W-H	2006	Canadian-Journal-of-Botany. 2006; 84(2): 294-302. Many ref.	Genetic variation of <i>Populus tremuloides</i> in ecophysiological responses to CO ₂ elevation.
183	Lteif,-A; Whalen,-J-K; Bradley,-R-L; Camire,-C	2007	Soil-Use-and-Management. 2007; 23(4): 393-403. 41 ref.	Mixtures of papermill biosolids and pig slurry improve soil quality and growth of hybrid poplar.
184	Lu-MengZhu; Chen-XingLing; Hu-JianJun	2006	The-9th-International-Symposium-on-the-Biosafety-of-Genetically-Modified-Organisms,-Jeju-Island,-Korea,-24-29-September,-2006:-biosafety-research-and-environmental-risk-assessment. 2006; 131-136. 10 ref.	Empirical assessment of gene flow from transgenic poplar plantation.
185	Lyyra,-S; Lima,-A; Merkle,-S-A	2006	Tree-Physiology. 2006; 26(7): 969-975. 44 ref.	In vitro regeneration of <i>Salix nigra</i> from adventitious shoots.
186	MacIsaac,-D-A; Comeau,-P-G; Macdonald,-S-E	2006	Canadian-Journal-of-Forest-Research. 2006; 36(7): 1818-1833. Many ref.	Dynamics of regeneration gaps following harvest of aspen stands.
187	Macrae,-M-L; Devito,-K-J; Creed,-I-F; Macdonald,-S-E	2006	Canadian-Journal-of-Forest-Research. 2006; 36(9): 2090-2103. Many ref.	Relation of soil-, surface-, and ground-water distributions of inorganic nitrogen with topographic position in harvested and unharvested portions of an aspen-dominated catchment in the Boreal Plain.
188	Macrae,-M-L; Redding,-T-E; Creed,-I-F; Bell,-W-R; Devito,-K-J	2005	Forest-Ecology-and-Management. 2005; 206(1/3): 315-329. 38 ref.	Soil, surface water and ground water phosphorus relationships in a partially harvested Boreal Plain aspen catchment.

Référence	Auteurs	Année publiée	Publication	Titre
189	Major,-I-T; Constabel,-C-P	2006	New-Phytologist. 2006; 172(4): 617-635. Many ref.	Molecular analysis of poplar defense against herbivory: comparison of wound- and insect elicitor-induced gene expression.
190	Major,-I-T; Constabel,-C-P	2007	Canadian-Journal-of-Botany. 2007; 85(12): 1171-1181. Many ref.	Shoot-root defense signaling and activation of root defense by leaf damage in poplar.
191	Man,-R; Greenway,-K; Rice,-J	2007	Forest-Research-Information-Paper-Ontario-Forest-Research-Institute. 2005; (160): 107-114. The thin green line. Proceedings of a symposium on the state-of-the-art in reforestation, Thunder Bay, Ontario, Canada, 26-28 July 2005. 24 ref.	Growth of Aspen and white spruce in planted mixtures.
192	Mankovska,-B; Percy,-K-E; Karnosky,-D-F	2005	Environmental Pollution. 2005. 137:580-586.	Impacts of greenhouse gases on epicuticular waxes of <i>Populus tremuloides</i> Michx.; results from an open-air exposure and a natural O ₃ gradient.
193	Man-RongZhou; Greenway,-K-J	2004	Forestry-Chronicle. 2004; 80(6): 694-704. Many ref.	Forestry-Chronicle. 2004; 80(6): 694-704
194	Mansfield,-S-D; Weineisen,-H	2007	Journal-of-Wood-Chemistry-and-Technology. 2007; 27(3/4): 135-151. 30 ref.	Wood fiber quality and kraft pulping efficiencies of trembling aspen (<i>Populus tremuloides</i> Michx) clones.
195	Mariani,-L; Chang,-S-X; Kabzems,-R	2006	Soil-Biology-and-Biochemistry. 2006; 38(7): 1734-1744. Many ref.	Effects of tree harvesting, forest floor removal, and compaction on soil microbial biomass, microbial respiration, and N availability in a boreal aspen forest in British Columbia.
196	Marron,-N; Bastien,-C; Sabatti,-M; Taylor,-G; Ceulemans,-R	2006	Tree-Physiology. 2006; 26(7): 935-946. Many ref.	Plasticity of growth and sylleptic branchiness in two poplar families grown at three sites across Europe.
197	Marron,-N; Ceulemans,-R	2006	Canadian-Journal-of-Forest-Research. 2006; 36(2): 390-400. Many ref.	Genetic variation of leaf traits related to productivity in a <i>Populus deltoides</i> x <i>Populus nigra</i> family.
198	Marron,-N; Villar,-M; Dreyer,-E; Delay,-D; Boudouresque,-E; Petit,-J-M; Delmotte,-F-M; Guehl,-J-M; Brignolas,-F	2005	Tree-Physiology. 2005; 25(4): 425-435. Many ref.	Diversity of leaf traits related to productivity in 31 <i>Populus deltoides</i> x <i>Populus nigra</i> clones.

Référence	Auteurs	Année publiée	Publication	Titre
199	Martens,-L-A	2007	MSc Thesis - University of Alberta	Response of aspen (<i>Populus tremuloides</i> Michx.) seedlings to cold storage, root aeration, and watering regime.
200	Martens,-L-A; Landhausser,-S-M; Lieffers,-V-J	2007	New-Forests. 2007; 33(3): 281-295. 49 ref.	First-year growth response of cold-stored, nursery-grown aspen planting stock.
201	Martin,-R-R; Naftel,-S-J; Macfie,-S; Skinner,-W; Courchesne,-F; Seguin,-V	2004	Chemosphere-. 2004; 54(8): 1121-1125. 6 ref.	Time of flight secondary ion mass spectrometry studies of the distribution of metals between the soil, rhizosphere and roots of <i>Populus tremuloides</i> Minchx growing in forest soil.
202	Matthias,-L-A	2005	MSc Thesis - University of Manitoba	Sapling growth and mortality in contrasting light environments for four predominant tree species across the Canadian boreal forest (<i>Populus tremuloides</i> , <i>Abies balsamea</i> , <i>Picea glauca</i> , <i>Picea mariana</i>).
203	Maundrell,-C; Hawkins,-C	2004	Northern-Journal-of-Applied-Forestry. 2004; 21(2): 74-79. 47 ref.	Use of an aspen overstory to control understory herbaceous species, bluejoint grass (<i>Calamagrostis canadensis</i>), and fireweed (<i>Epilobium angustifolium</i>).
204	Maundrell,-C-P	2004	MSc Thesis - University of Northern British Columbia	Effect of aspen (<i>Populus tremuloides</i> (Michx.)) overstory removal on productivity of an aspen and white spruce (<i>Picea glauca</i> (Moench) Voss) mixedwood stand.
205	McBain,-M-C; Warland,-J-S; McBride,-R-A; Wagner-Riddle,-C	2004	Waste-Management-and-Research. 2004; 22(6): 454-465.	Laboratory-scale measurements of N2O and CH4 emissions from hybrid poplars (<i>Populus deltoides</i> x <i>Populus nigra</i>).
206	McDonald,-G-J	2004	MSc Thesis - Lakehead University	Anatomical and physical wood property variation and juvenile wood distribution in a single stem of trembling aspen.
207	McKenney,-D-W; Yemshanov,-D; Fox,-G; Ramlal,-E	2004	Forest-Policy-and-Economics. 2004; 6(3/4): 345-358. Special issue: Economics of sustainable forest management. 35 ref.	Cost estimates for carbon sequestration from fast growing poplar plantations in Canada.

Référence	Auteurs	Année publiée	Publication	Titre
208	Meiresonne,-L; de Schrijver,-A; Vos,-B-de	2007	Canadian-Journal-of-Forest-Research. 2007; 37(1): 141-155. Many ref.	Nutrient cycling in a poplar plantation (<i>Populus trichocarpa</i> x <i>Populus deltoides</i> 'Beaupré') on former agricultural land in northern Belgium.
209	Meirmans,-P-G; Lamothe,-M; Perinet,-P; Isabel,-N	2007	Canadian-Journal-of-Botany. 2007; 85(11): 1082-1091. 42 ref.	Species-specific single nucleotide polymorphism markers for detecting hybridization and introgression in poplar.
210	Mentag,-R	2004	PhD Thèse - Université Laval	Potential use of transgenics as a tool for the improvement of resistance to poplar pathogenic agents. Potential d'utilisation de la transgénèse comme outil pour l'amélioration de la résistance aux agents pathogènes chez le peuplier.
211	Mentag,-R; Seguin,-A	2005	Forest-pathology:-from-genes-to-landscapes. 2005; 79-87. Papers based on a symposium presented at the 1999 Montreal American Phytopathological Society Annual Convention. Many ref.	Transgenic approaches to increase pathogen disease resistance in forest trees: a case study with poplar.
212	Mikaelian,-M-T-ter; Zakrzewski,-W-T; MacDonald,-G-B; Weingartner,-D-H	2004	Annals-of-Forest-Science. 2004; 61(2): 109-115. 22 ref.	Stem profile equations for young trembling aspen in northern Ontario.
213	Millard,-P; Wendler,-R; Grassi,-G; Grelet,-G-A; Tagliavini,-M	2006	Tree-Physiology. 2006; 26(4): 527-536. 45 ref.	Translocation of nitrogen in the xylem of field-grown cherry and poplar trees during remobilization.
214	Minocha,-R; Lee-JaeSoon; Long,-S; Bhatnagar,-P; Minocha,-S-C	2004	Tree-Physiology. 2004; 24(5): 551-560. 35 ref.	Physiological responses of wild type and putrescine-overproducing transgenic cells of poplar to variations in the form and concentration of nitrogen in the medium.
215	Minor,-M-A; Norton,-R-A	2004	Canadian-Journal-of-Forest-Research. 2004; 34(7): 1417-1425. 50 ref.	Effects of soil amendments on assemblages of soil mites (Acari: Oribatida, Mesostigmata) in short-rotation willow plantings in central New York.

Référence	Auteurs	Année publiée	Publication	Titre
216	Miranda,-M; Ralph,-S-G; Mellway,-R; White,-R; Heath,-M-C; Bohlmann,-J; Constabel,-C-P	2007	Molecular-Plant-Microbe-Interactions. 2007; 20(7): 816-831. many ref.	The transcriptional response of hybrid poplar (<i>Populus trichocarpa</i> x <i>P. deltoids</i>) to infection by <i>Melampsora medusae</i> leaf rust involves induction of flavonoid pathway genes leading to the accumulation of proanthocyanidins.
217	Miyazawa,-S-I; Livingston,-N-J; Turpin,-D-H	2006	Journal-of-Experimental-Botany. 2006; 57(2): 373-380. 28 ref.	Stomatal development in new leaves is related to the stomatal conductance of mature leaves in poplar (<i>Populus trichocarpa</i> x <i>P. deltoides</i>).
218	Morabito,-D; Caruso,-A; Carpin,-S; Carli,-C; Laurans,-F; Depierreux,-C; Kahlem,-G; Label,-P	2006	Canadian-Journal-of-Forest-Research. 2006; 36(3): 719-724. 24 ref.	Cambial activity of <i>Populus tremula</i> x <i>Populus alba</i> clone 717-1B4 in hydroponic culture.
219	Morrison,-P-A-W	2006	MSc Thesis - University of New Brunswick	Influence of the host plant on preference and performance of a gall midge, <i>Harmandia tremulae</i> (Winnertz), on trembling aspen.
220	Mulak,-T; Landhausser,-S-M; Lieffers,-V-J	2006	Forest-Ecology-and-Management. 2006; 232(1/3): 198-204. 32 ref.	Effects of timing of cleaning and residual density on regeneration of juvenile aspen stands.
221	Mulak,-T-L	2007	MSc Thesis - University of Alberta	Seasonal and competitive factors controlling clonal regeneration of trembling aspen (<i>Populus tremuloides</i> Michx.).
222	Mundell,-T-L; Landhausser,-S-M; Lieffers,-V-J	2007	Canadian-Journal-of-Botany. 2007. 85(11):1041-1045. 23 ref.	Effects of <i>Corylus cornuta</i> stem density on root suckering and rooting depth of <i>Populus tremuloides</i> .
223	Namroud,-M-C; Leduc,-A; Tremblay,-F; Bergeron,-Y	2006	Conservation-Genetics. 2006; 7(3): 415-426. 38 ref.	Simulations of clonal species genotypic diversity - trembling aspen (<i>Populus tremuloides</i>) as a case study.
224	Namroud,-M-C; Park,-A; Tremblay,-F; Bergeron,-Y	2005	Molecular-Ecology. 2005; 14(10): 2969-2980. 43 ref.	Clonal and spatial genetic structures of aspen (<i>Populus tremuloides</i> Michx.).
225	Namroud,-M-C; Tremblay,-F; Bergeron,-Y	2005	Ecoscience-. 2005; 12(1): 82-91. Many ref.	Temporal variation in quaking aspen (<i>Populus tremuloides</i>) genetic and clonal structures in the mixedwood boreal forest of eastern Canada.

Référence	Auteurs	Année publiée	Publication	Titre
226	Neumann,-P-D	2007	MSc Thesis - University of Alberta	Public perceptions of tree plantations: a mixed-methods study of trees as an alternative crop, family farming, and the poplar farm program.
227	Neumann,-P-D; Krogman,-N-T; Thomas,-B-R	2007	International-Journal-of-Biotechnology. 2007; 9(5): 468-483. 41 ref.	Public perceptions of hybrid poplar plantations: trees as an alternative crop.
228	Newman,-K-E	2006	MSc Thesis - University of Manitoba	Land use and conservation values of farmland forests: outcomes of livestock grazing on the aspen forest understorey in the Greater Riding Mountain Region, Manitoba.
229	Newsome,-T-A; Heineman,-J-L; Nemec,-A-F-L	2004	Technical-Report-Ministry-of-Forests,-Forest-Science-Program,-British-Columbia. 2004; (015): vi + 29 pp. many ref.	Early effects of manipulating aspen density on lodgepole pine performance, aspen sucker production, and stand development in the IDFxm subzone near Williams Lake, B.C.
230	Newsome,-T-A; Heineman,-J-L; Nemec,-A-F-L	2004	Technical-Report-Ministry-of-Forests,-Forest-Science-Program,-British-Columbia. 2004; (014): vi + 29 pp.	Lodgepole pine response to aspen removal in variable radii in the SBSdw2 variant near Williams Lake, B.C.
231	Newsome,-T-A; Heineman,-J-L; Nemec,-A-F-L	2006	Technical-Report-Ministry-of-Forests-and-Range,-Forest-Science-Program,-British-Columbia. 2006; (032): viii + 31 pp. 39 ref.	Effects of variable aspen retention on stand development, aspen sucker production, and growth of lodgepole pine in the SBSdw1 variant of South-central British Columbia.
232	Newsome,-T-A; Heineman,-J-L; Nemec,-A-F-L	2006	Technical-Report-Ministry-of-Forests-and-Range,-Forest-Science-Program,-British-Columbia. 2006; (029): vi + 38 pp. 40 ref.	Early effects of manipulating aspen density and spatial arrangement on lodgepole pine performance, aspen sucker production, and stand development in an 11-year-old stand in the SBPSxc subzone of South-central British Columbia.
233	Nicole,-M-C; Hamel,-L-P; Morency,-M-J; Beaudoin,-N; Ellis,-B-E; Seguin,-A	2006	BMC-Genomics. 2006; 7(223): (31 August 2006). 69 ref.	MAP-ping genomic organization and organ-specific expression profiles of poplar MAP kinases and MAP kinase kinases.
234	Niinemets,-U; Al-Afas,-N; Cescatti,-A; Pellis,-A; Ceulemans,-R	2004	Tree-Physiology. 2004; 24(2): 141-154. Many ref.	Petiole length and biomass investment in support modify light-interception efficiency in dense poplar plantations.

Référence	Auteurs	Année publiée	Publication	Titre
235	Noël,-A	2004	MSc Thèse - Université Laval	Genetic transformation of black spruce and hybrid poplar with a chitinase of <i>Trichoderma harzianum</i> and evaluation of resistance against fungal pathogens. Transformation génétique chez l'épinette noire et le peuplier hybride avec une chitinase de <i>Trichoderma harzianum</i> et évaluation de la résistance face aux champignons pathogènes.
236	Noël,-A; Levasseur,-C; Van-Quy-Le; Seguin,-A	2005	PMPP-Physiological-and-Molecular-Plant-Pathology. 2005; 67(2): 92-99. 45 ref.	Enhanced resistance to fungal pathogens in forest trees by genetic transformation of black spruce and hybrid poplar with a <i>Trichoderma harzianum</i> endochitinase gene.
237	Noseworthy,-M-K; Despland,-E	2006	Canadian-Entomologist. 2006; 138(3): 367-375. 43 ref.	How do primary nutrients affect the performance and preference of forest tent caterpillars on trembling aspen?
238	Osawa,-A; Kurachi,-N	2004	Trees-Structure and Function. 2004. 18(3):327-338. 53 ref.	Spatial leaf distribution and self-thinning exponent of <i>Pinus banksiana</i> and <i>Populus tremuloides</i> .
239	Otway,-S-G	2006	MSc Thesis - University of Alberta	Aspen forest duff moisture depletion and ground fire potential.
240	Otway,-S-G; Bork,-E-W; Anderson,KR; Alexander,-ME	2007	Canadian-Journal-of-Forest-Research. 2007; 37(10): 1987-1998. 46 ref.	Relating changes in duff moisture to the Canadian Forest Fire Weather Index System in <i>Populus tremuloides</i> stands in Elk Island National Park.
241	Otway,-S-G; Bork,-E-W; Anderson,-K-R; Alexander,-M-E	2006	Pages 537-546 in P.L. Andrews and B.W. Butler, compilers. Proceedings RMRS-P-41: Fuels Management - How to Measure Success, March 28-30, 2006, Portland, Oregon, USA. USDA Forest Service, Fort Collins, Colorado, USA.	Predicting ground fire ignition potential in aspen communities.
242	Otway,-S-G; Bork,-E-W; Anderson,-K-R; Alexander,-M-E	2007	International-Journal-of-Wildland-Fire. 2007; 16(6): 690-701.	Predicting sustained smouldering combustion in trembling aspen duff in Elk Island National Park, Canada.

Référence	Auteurs	Année publiée	Publication	Titre
243	Pankuch,-J-M	2004	MSc Thesis - University of Alberta	The effect of site preparation wounds on aspen quality.
244	Pan-XueJun; Gilkes,-N; Kadla,-J; Pye,-K; Saka,-S; Gregg,-D; Ehara,-K; Xie-Dan; Lam,-D; Saddler,-J	2006	Biotechnology-and-Bioengineering. 2006; 94(5): 851-861. 36 ref.	Bioconversion of hybrid poplar to ethanol and co-products using an organosolv fractionation process: optimization of process yields.
245	Pan-XueJun; Kadla,-J-F; Ehara,-K; Gilkes,-N; Saddler,-J-N	2006	Journal-of-Agricultural-and-Food-Chemistry. 2006; 54(16): 5806-5813. 42 ref.	Organosolv ethanol lignin from hybrid poplar as a radical scavenger: relationship between lignin structure, extraction conditions, and antioxidant activity.
246	Parker,-E-A	2006	MSc Thesis - University of Alberta	Bromus inermisLeyss: persistence and invasion in Alberta Aspen Parkland.
247	Patton,-J-J	2004	MSc Thesis - University of Alberta	Identification and characterization of genes in hybrid poplar (<i>Populus trichocarpa</i> x <i>P. deltoides</i>) unregulated by mechanical wounding and herbivory by the forest tent caterpillar (<i>Malacosoma disstria</i>).
248	Pearce,-D-W; Millard,-S; Bray,-D-F; Rood,-S-B	2006	Tree-Physiology. 2006; 26(2): 211-218. 43 ref.	Stomatal characteristics of riparian poplar species in a semi-arid environment.
249	Pearce,-D-W; Rood,-S-B; Wu,-R-L	2004	Tree-Physiology. 2004; 24(2): 217-224. 37 ref.	Phytohormones and shoot growth in a three-generation hybrid poplar family.
250	Peltzer,-D-A; Wilson,-S-D	2006	Canadian-Journal-of-Botany. 2006; 84(7): 1142-1147. 41 ref.	Hailstorm damage promotes aspen invasion into grassland.
251	Percy,-K-E; Nosal,-M; Heilman,-W; Dann,-T; Sober,-J; Legge,-A-H; Karnosky,-D-F	2007	Environmental-Pollution. 2007; 147(3): 554-566. Many ref.	New exposure-based metric approach for evaluating O ₃ risk to North American aspen forests.
252	Philippe,-R-N; Bohlmann,-J	2007	Canadian-Journal-of-Botany. 2007; 85(12): 1111-1126. Many ref.	Poplar defense against insect herbivores.
253	Pitre,-F-E; Cooke,-J-E-K; Mackay,-J-J	2007	Trees-Structure and Function. 2007. 21(2):249-259. 68 ref.	Short-term effects of nitrogen availability on wood formation and fibre properties in hybrid poplar.
254	Pitt,-D-G; Bell,-F-W	2005	Forestry-Chronicle. 2005; 81(4): 538-547. 23 ref.	Juvenile response to conifer release alternatives on aspen-white spruce boreal mixedwood sites. Part I: Stand structure and composition.

Référence	Auteurs	Année publiée	Publication	Titre
255	Pitt,-D-G; Mihajlovich,-M; Proudfoot,-L-M	2004	Forestry-Chronicle. 2004; 80(5): 583-597. 30 ref.	Juvenile stand responses and potential outcomes of conifer release efforts on Alberta's spruce-aspen mixedwood sites.
256	Pliura,-A; Yu-QiBin; Zhang,-S-Y; MacKay,-J; Périnet,-P; Bousquet,-J	2005	Forest-Science. 2005; 51(5): 472-482. Many ref.	Variation in wood density and shrinkage and their relationship to growth of selected young poplar hybrid crosses.
257	Pliura,-A; Zhang,-S-Y; Bousquet,-J; MacKay,-J	2006	Annals-of-Forest-Science. 2006; 63(7): 673-685. 53 ref.	Age trends in genotypic variation of wood density and its intra-ring components in young poplar hybrid crosses.
258	Pliura,-A; Zhang,-S-Y; MacKay,-J; Bousquet,-J	2007	Forest-Ecology-and-Management. 2007; 238(1/3): 92-106. Many ref.	Genotypic variation in wood density and growth traits of poplar hybrids at four clonal trials.
259	Ponton,-S; Flanagan,-L-B; Alstad,-K-P; Johnson,-B-G; Morgenstern,-K; Kljun,-N; Black,-T-A; Barr,-A-G	2006	Global-Change-Biology. 2006; 12(2): 294-310. Many ref.	Comparison of ecosystem water-use efficiency among Douglas-fir forest, aspen forest and grassland using eddy covariance and carbon isotope techniques.
260	Pospiskova,-M; Salkova,-I	2006	Canadian-Journal-of-Forest-Research. 2006; 36(5): 1067-1076. Many ref.	Population structure and parentage analysis of black poplar along the Morava River.
261	Pothier,-D; Raulier,-F; Riopel,-M	2004	Canadian-Journal-of-Forest-Research. 2004; 34(6): 1251-1258. 30 ref.	Ageing and decline of trembling aspen stands in Quebec.
262	Powell,-G-W	2004	PhD Thesis - University of Alberta	Competition and facilitation in aspen agroforests.
263	Powell,-G-W; Bork,-E-W	2004	Canadian-Journal-of-Forest-Research. 2004; 34(9): 1858-1869. 20 ref.	Competition and facilitation in mixtures of aspen seedlings, alfalfa, and marsh reedgrass.
264	Powell,-G-W; Bork,-E-W	2004	Forest-Ecology-and-Management. 2004; 199(2/3): 411-422. 17 ref.	Above- and below-ground effects from alfalfa and marsh reedgrass on aspen seedlings.
265	Powell,-G-W; Bork,-E-W	2006	Forest-Ecology-and-Management. 2006; 230(1/3): 79-90. 28 ref.	Aspen canopy removal and root trenching effects on understory vegetation.
266	Powell,-G-W; Bork,-E-W	2007	Agroforestry-Systems. 2007; 70(2): 113-124. 16 ref.	Effects of aspen canopy removal and root trenching on understory microenvironment and soil moisture.

Référence	Auteurs	Année publiée	Publication	Titre
267	Power,-K; Gillis,-M	2006	Canada's Forest Inventory 2001	Natural Resources Canada, Canadian Forest Service, Pacific Forestry Centre, Information Report BC-X-408. Obtain via Website: http://dsp-psd.pwgsc.gc.ca/collection_2007/nrcan-rncan/Fo143-2-408E.pdf .
268	Preston,-G-M	2004	MSc Thesis - University of Guelph	An analysis of SHAW model water budget estimations for municipal solid waste landfill covers planted with poplar tree systems in southern Ontario.
269	Preston,G-M; McBride,-R-A	2004	Waste Management and Research. 2004. 22(4):291-305. 36 ref.	Assessing the use of poplar tree systems as a landfill evapotranspiration barrier with the SHAW model.
270	Preston,-G-M; McBride,-R-A; Bryan,-J; Candido,-M	2004	Agroforestry-Systems. 2004; 60(3): 305-309. 17 ref.	Estimating root mass in young hybrid poplar trees using the electrical capacitance method.
271	Pritchard,-J-M	2004	MSc Thesis - University of Alberta	The effect of opening size on light, temperature and the growth of white spruce under a trembling aspen canopy.
272	Pritchard,-J-M; Comeau,-P-G	2004	Forest-Ecology-and-Management. 2004; 200(1/3): 119-128. 37 ref.	Effects of opening size and stand characteristics on light transmittance and temperature under young trembling aspen stands.
273	Puttock,-D; Spinelli,-R; Hartsough,-B-R	2005	International-Journal-of-Forest-Engineering. 2005; 16(1): 39-49. 32 ref.	Operational trials of cut-to-length harvesting of poplar in a mixed wood stand.
274	Qin-RuiJun; Hirano,-Y; Brunner,-I	2007	Tree-Physiology. 2007; 27(2): 313-320. 41 ref.	Exudation of organic acid anions from poplar roots after exposure to Al, Cu and Zn.
275	Rae,-A-M; Robinson,-K-M; Street,-N-R; Taylor,-G	2004	Canadian-Journal-of-Forest-Research. 2004; 34(7): 1488-1498. Many ref.	Morphological and physiological traits influencing biomass productivity in short-rotation coppice poplar.

Référence	Auteurs	Année publiée	Publication	Titre	
276	Ralph,-S; Oddy,-C; Cooper,-D; Yueh,-H; Jancsik,-S; Kolosova,-N; Philippe,-R-N; Aeschliman,-D; White,-R; Huber,-D; Ritland,-C-E; Benoit,-F; Rigby,-T; Nantel,-A; Butterfield,-Y-S-N; Kirkpatrick,-R; Chun,-E; Bohlmann,-J	Liu,-J; Palmquist,-D; Wynhoven,-B; Stott,-J; Yang,-G; Barber, -S; Holt, -HA; Siddiqui,-A; Jones,-S-J; Marra,-M-A; Ellis,-B-E; Douglas,-C-J; Ritland,-K; Bohlmann,-J	2006	Molecular-Ecology. 2006; 15(5): 1275-1297. Special issue: Ecological and evolutionary genomics of populations in nature. Many ref.	Genomics of hybrid poplar (<i>Populus trichocarpa x deltoides</i>) interacting with forest tent caterpillars (<i>Malacosoma disstria</i>): normalized and full-length cDNA libraries, expressed sequence tags, and a cDNA microarray for the study of insect-induced defences.
277	Rea,-R-V; Gillingham,-M-P		2007	Rangeland-Ecology-and-Management. 2007; 60(6): 566-573.	Initial effects of brush cutting and shoot removal on willow browse quality.
278	Redding,-T-E; Hannam,-K-D; Quideau,-S-A; Devito,-K-J		2005	Soil-Science-Society-of-America-Journal. 2005; 69(5): 1503-1506. 32 ref.	Particle density of aspen, spruce, and pine forest floors in Alberta, Canada.
279	Rempfrey,-W-R; Pearn,-L-P		2006	Canadian-Journal-of-Botany. 2006; 84(10): 1531-1541. 34 ref.	Crown architecture development in <i>Salix 'Prairie Cascade'</i> , a pendulous willow.
280	Ren-Jian; Yao-YiNan; Yang-YongQing; Korpelainen,-H; Juntila,-O; Li-ChunYang		2006	Tree-Physiology. 2006; 26(5): 665-672. 48 ref.	Growth and physiological responses to supplemental UV-B radiation of two contrasting poplar species.
281	Richardson,-J; Cooke,-J-E-K; Isebrands,-J-G; Thomas,-B-R; Van Rees,-K-C-J		2007	Canadian-Journal-of-Botany. 2007; 85(12): 1136-1146. 47 ref.	Poplar research in Canada - a historical perspective with a view to the future.
282	Ripullone,-F; Lauteri,-M; Grassi,-G; Amato,-M; Borghetti,-M		2004	Tree-Physiology. 2004; 24(6): 671-679. Many ref.	Variation in nitrogen supply changes water-use efficiency of <i>Pseudotsuga menziesii</i> and <i>Populus x euroamericana</i> ; a comparison of three approaches to determine water-use efficiency.
283	Robinson,-A-R; Gheneim,-R; Kozak,-R-A; Ellis,-D-D; Mansfield,-SD		2005	Journal-of-Experimental-Botany. 2005; 56(421): 2807-2819. 50 ref.	The potential of metabolite profiling as a selection tool for genotype discrimination in <i>Populus</i> .
284	Saint-Germain,-M; Drapeau,-P; Buddle,-C-M		2007	Ecography-. 2007; 30(6): 737-748. Many ref.	Host-use patterns of saproxylic phloeophagous and xylophagous Coleoptera adults and larvae along the decay gradient in standing dead black spruce and aspen.

Référence	Auteurs	Année publiée	Publication	Titre
285	Saint-Germain,-M; Drapeau,-P; Buddle,-C-M	2007	Ecological-Entomology. 2007; 32(6): 712-721. 49 ref.	Occurrence patterns of aspen-feeding wood-borers (Coleoptera: Cerambycidae) along the wood decay gradient: active selection for specific host types or neutral mechanisms?
286	Samuelson,-L-J; Stokes,-T-A; Coleman,-M-D	2007	Tree-Physiology. 2007; 27(5): 765-774. Many ref.	Influence of irrigation and fertilization on transpiration and hydraulic properties of <i>Populus deltoides</i> .
287	Saurette,-D-D	2007	MSc Thesis - University of Alberta	Soil respiration and carbon cycling in hybrid poplar plantations in northern Alberta, Canada.
288	Saurette,-D-D; Chang,-S-X; Thomas,-B-R	2006	Canadian-Journal-of-Soil-Science. 2006; 86(2): 257-268. Carbon dynamics in forest and peatland ecosystems. Proceedings of the conference titled 'The science of changing climates: impact on agriculture, forestry and wetlands', held in Edmonton, Alberta, 20-23 July 2004.	Some characteristics of soil respiration in hybrid poplar plantations in northern Alberta.
289	Schuetz,-M; Haghghi-Kia,-A; Wenzel,-C-L; Mattsson,-J	2007	Canadian-Journal-of-Botany. 2007; 85(12): 1147-1157. 43 ref.	Induction of xylem and fiber differentiation in <i>Populus tremuloides</i> .
290	Sean,-S-T; Labrecque,-M	2006	Forest-Products-Journal. 2006; 56(9): 47-52.	Use of short-rotation coppice willow clones of <i>Salix viminalis</i> as furnish in panel production.
291	Semple,-K-E; Vaillant,-M-H; Kang-KyuYoung; Oh-SeungWon; Smith,-G-D; Mansfield,-SD	2007	Holzforschung-. 2007; 61(4): 430-438. 43 ref.	Evaluating the suitability of hybrid poplar clones for the manufacture of oriented strand boards.
292	Senecal,-D; Kneeshaw,-D; Messier,-C	2004	Canadian-Journal-of-Forest-Research. 2004; 34(2): 396-404. 4th International Workshop on Disturbance Dynamics in Boreal Forests: Disturbance processes and their ecological effects, Prince George, British Columbia, Canada, 9-14 August 2002. Many ref.	Temporal, spatial, and structural patterns of adult trembling aspen and white spruce mortality in Quebec's boreal forest.

Référence	Auteurs	Année publiée	Publication	Titre
293	Shaddock,-J-K	2006	MSc Thesis - University of Manitoba	Effects of timber harvesting and forest fire on the ecological diversity of carabid beetles (Coleoptera: Carabidae) in aspen dominated mixedwood forests (<i>Populus tremuloides</i> Michx.) in western Manitoba.
294	Siemens,-J-A; Zwiazek,-J-J	2004	Physiologia-Plantarum. 2004; 121(1): 44-49. 27 ref.	Changes in root water flow properties of solution culture-grown trembling aspen (<i>Populus tremuloides</i>) seedlings under different intensities of water-deficit stress.
295	Saskatchewan Forest Centre – now named: ForestFirst	2005	Published through ForestFirst, Prince Albert, SK (http://www.forestfirst.ca); Report and tech. sheets - Agroforestry Reports)	Tree Farming - A Community Development Illustration
296	Saskatchewan Forest Centre – now named: ForestFirst	2005	Published through ForestFirst, Prince Albert, SK (http://www.forestfirst.ca); Report and tech. sheets - Agroforestry Reports)	Saskatchewan Short Rotation Woody Crops Production - Economics and Benefits
297	Saskatchewan Forest Centre – now named: ForestFirst	2007	Published through ForestFirst, Prince Albert, SK (http://www.forestfirst.ca); Report and tech. sheets - Agroforestry Reports)	Outlook Irrigation Demonstration Project - Interim Report
298	Ste-Marie,-C; Pare,-D; Gagnon,-D	2007	Ecosystems-. 2007; 10(8): 1299-1310.	The contrasting effects of aspen and jack pine on soil nutritional properties depend on parent material.
299	Stenvall,-N; Haapala,-T; Aarlahti,-S; Pulkkinen,-P	2005	Canadian-Journal-of-Forest-Research. 2005; 35(11): 2671-2678. 29 ref.	The effect of soil temperature and light on sprouting and rooting of root cuttings of hybrid aspen clones.
300	Stewart,-J-J; Kadla,-J-F; Mansfield,-SD	2006	Holzforschung-. 2006; 60(2): 111-122.	The influence of lignin chemistry and ultrastructure on the pulping efficiency of clonal aspen (<i>Populus tremuloides</i> Michx.).
301	Strong,-W-L	2004	Canadian-Journal-of-Botany. 2004; 82(11): 1576-1585. Many ref.	Secondary vegetation and floristic succession within a boreal aspen (<i>Populus tremuloides</i> Michx.) clearcut.

Référence	Auteurs	Année publiée	Publication	Titre
302	Strong,-W-L; Sidhu,-S-S	2005	Journal-of-Environmental-Management. 2005; 77(3): 194-204. 44 ref.	Prolonged herbicide-induced vegetation changes in a regenerating boreal aspen clearcut.
303	Su-G	2005	PhD Thesis - University of Alberta	DEM modelling, vegetation characterization and mapping of aspen parkland rangeland using LIDAR data.
304	Sun,-J-F	2006	MSc Thesis - Concordia University	Post fire regeneration dynamics of white spruce and aspen in a southern boreal forest in Alberta.
305	Sutton,-A; Tardif,-J	2005	IAWA-Journal. 2005; 26(2): 221-238. Many ref.	Distribution and anatomical characteristics of white rings in <i>Populus tremuloides</i> .
306	Sutton,-A-C	2006	MSc Thesis - University of Manitoba	Anatomy of white rings in trembling aspen and reconstruction of forest tent caterpillar outbreaks in the Duck Mountain region, Manitoba.
307	Tan-Xiao; Kabzems,-R; Chang,-S-X	2006	Forest-Ecology-and-Management. 2006; 222(1/3): 450-458. 48 ref.	Response of forest vegetation and foliar delta 13C and delta 15N to soil compaction and forest floor removal in a boreal aspen forest.
308	Temmel,-N-A; Rai,-H-S; Cronk,-Q-C-B	2007	Canadian-Journal-of-Botany. 2007; 85(11): 1092-1097. 15 ref.	Sequence characterization of the putatively sex-linked Ssu72-like locus in willow and its homologue in poplar.
309	Tharakan,-P-J; Volk,-T-A; Nowak,-C-A; Abrahamson,-L-P	2005	Canadian-Journal-of-Forest-Research. 2005; 35(2): 421-431. Many ref.	Morphological traits of 30 willow clones and their relationship to biomass production.
310	Tognetti,-R; Sebastiani,-L; Minnocci,-A	2004	Tree-Physiology. 2004; 24(1): 75-82. 30 ref.	Gas exchange and foliage characteristics of two poplar clones grown in soil amended with industrial waste.
311	Toribio Fajardo,-M	2006	MSc Thesis - McGill University	Growth and nutrition of trembling aspen in harvested black spruce forests in northwestern Quebec.
312	Tschaplinski,-T-J; Tuskan,-G-A; Sewell,-M-M; Gebre,-G-M; Todd,-D-E; Pendley,-C-D	2006	Tree-Physiology. 2006; 26(5): 595-604. 39 ref.	Phenotypic variation and quantitative trait locus identification for osmotic potential in an interspecific hybrid inbred F2 poplar pedigree grown in contrasting environments.
313	Tsuneda,-A; Currah,-R-S	2004	Reports-of-the-Tottori-Mycological-Institute. 2004; (42): 1-9. 23 ref.	Knufia endospora, a new clematiaceous hyphomycete from trembling aspen.

Référence	Auteurs	Année publiée	Publication	Titre	
314	Tsuneda,-A; Hambleton,-S; Currah,-R-S	2004	Mycologia-. 2004; 96(5): 1128-1135. 25 ref.	Morphology and phylogenetic placement of <i>Endoconidioma</i> , a new endoconidial genus from trembling aspen.	
315	Tuskan,-G-A; DiFazio,-S; Jansson,-S; J. Bohlmann,-J; Grigoriev,-I; Hellsten,-U; Putnam,-N; Ralph,-S; Rombauts,-S; Salamov,-A; Schein,-J; Sterck,-L; Aerts,-A; Bhalerao,-R-R; Bhalerao,-R-P; Blaudez,-D; Boerjan,-W; Brun,-A; Brunner,-A; Busov,-V; Campbell,-M; Carlson,-J; Chalot,-M; Chapman,-J; Chen,-G-L; Cooper,-D; Coutinho,-P-M; Couturier,-J; Covert,-S; Cronk,-Q; Cunningham,-R; Davis,-J; Degroeve,-S; Déjardin,-A; dePamphilis,-C; Detter,-J; Dirks,-B; Dubchak,-I; Duplessis,-S; Ehrling,-J; Ellis,-B; Gendler,-K; Goodstein,-D; Gribkov,-M; Grimwood,-J; Groover,-A; Gunter,-L; Hamberger,-B; Heinze,-B; Helariutta,-Y; Henrissat,-B; Holligan,-D; Holt,-R; Huang,-W; Islam-Faridi,-N; Jones,-S; Jones-Rhoades,-M;	Jorgensen,-R; Joshi,-C; Kangasjärvi,-J; Karlsson,-J; Kelleher,-C; Kirkpatrick,-R; Kirst,-M; Kohler,-A; Kalluri,-U; Larimer,-F; Leebens-Mack,-J; Leplé,-J-C; Locascio,-P; Lou,-Y; Lucas,-S; Martin,-F; Montanini,-B; Napoli,-C; Nelson,-D-R; Nelson,-C; Nieminen,-K; Nilsson,-O; Pereda,-V; Peter,-G; Philippe,-R; Pilate,-G; Poliakov,-A; Razumovskaya,-J; Richardson,-P; Rinaldi,-C; Ritland,-K; Rouzé,-P; Ryaboy,-D; Schmutz,-J; Schrader,-J; Segerman,-B; Shin,-H; Siddiqui,-A; Sterky,-F; Terry,-A; Tsai,-C-J; Uberbacher,-E; Unneberg,-P; Vahala,-J; Wall,-K; Wessler,-S; Yang,-G; Yin,-T; Douglas,-C; Marra,-M; Sandberg,-G; Van de Peer,-Y; Rokhsar,-D	2006	Science 15 September 2006: Vol. 313. no. 5793, pp. 1596 - 1604; DOI: 10.1126/science.1128691	The Genome of Black Cottonwood, <i>Populus trichocarpa</i> (Torr. & Gray)

Référence	Auteurs	Année publiée	Publication	Titre
316	Tuskan,-G-A; Gunter,-L-E; Yang,-Z-K; Yin,-T-M; Sewell,-M-M; DiFazio,-S-P	2004	Canadian-Journal-of-Forest-Research. 2004; 34(1): 85-93. 36 ref.	Characterization of microsatellites revealed by genomic sequencing of <i>Populus trichocarpa</i> .
317	Ueno,-N; Kanno,-H; Seiwa,-K	2006	Vol. 313. no. 5793, pp. 1596 - 1604	Sexual differences in shoot and leaf dynamics in the dioecious tree <i>Salix sachalinensis</i> .
318	van den Driessche,-R; Niemi,-F; Charleson,-L	2005	Forest-Ecology-and-Management. 2005; 219(2/3): 216-228. 27 ref.	Fourth year response of aspen seedlings to lime, nitrogen and phosphorus applied at planting and 1 year after planting.
319	van Oosten,-C	2006	Published through ForestFirst, Prince Albert, SK (http://www.forestfirst.ca ; Report and tech. sheets - Agroforestry Reports)	Hybrid poplar crop manual for the Prairie Provinces
320	van Oosten,-C	2006	Published through ForestFirst, Prince Albert, SK (http://www.forestfirst.ca ; Report and tech. sheets - Agroforestry Reports)	Crop density for hybrid poplar in the Prairie Provinces
321	van Oosten,-C	2008	Published through ForestFirst, Prince Albert, SK (http://www.forestfirst.ca ; Report and tech. sheets - Agroforestry Reports)	Purpose-grown woody biomass crops; State of knowledge
322	Vigneault,-F; Lachance,-D; Cloutier,-M; Pelletier,-G; Levasseur,-C; Seguin,-A	2007	Plant-Journal. 2007; 51(4): 575-588. Many ref.	Members of the plant NIMA-related kinases are involved in organ development and vascularization in poplar, <i>Arabidopsis</i> and rice.
323	Villeneuve,-E	2004	DOI: 10.1126/science.1128691	Use of the bark of trembling aspen for the fabrication of particle board. Utilisation de l'écorce de peuplier faux-tremble pour la fabrication de panneaux de particules.
324	Voicu,-M-C	2004	MSc Thesis - University of Alberta	Inhibitor studies of root water flow regulation in aspen (<i>Populus tremuloides</i> Michx.) seedlings.
325	Voicu,-M-C; Zwiazek,-J-J	2004	Plant,-Cell-and-Environment. 2004; 27(2): 199-208. 46 ref.	Cycloheximide inhibits root water flow and stomatal conductance in aspen (<i>Populus tremuloides</i>) seedlings.
326	Voicu,-M-F	2006	MSc Thesis - University of Alberta	Gradients in microclimate and spruce growth adjacent to young aspen stands.

Référence	Auteurs	Année publiée	Publication	Titre
327	Voicu,-M-F; Comeau,-P-G	2006	Forest-Ecology-and-Management. 2006; 221(1/3): 13-26. Many ref.	Microclimatic and spruce growth gradients adjacent to young aspen stands.
328	Volney,-W-J-A; Alfaro,-R-I; Bothwell,-P; Hogg,-E-H; Hopkin,-A; Laflamme,-G; Hurley,-J-E; Warren,-G; Metsaranta,-J; Mallett,-K-I	2005	Unasylva-English-ed. 2005; 56(221): 20-25. Special issue: Poplars and willows. 4 ref.	A framework for poplar plantation risk assessments.
329	Wang,-G-G; Kemball,-K-J	2005	Canadian-Journal-of-Forest-Research. 2005; 35(3): 667-673. 33 ref.	Balsam fir and white spruce seedling recruitment in response to understory release, seedbed type, and litter exclusion in trembling aspen stands.
330	Wang,-J	2005	PhD Thesis - University of Alberta	Analysis of the expression and function of polyphenol oxidase in hybrid poplar.
331	Wang,-S	2007	MSc Thesis - University of Guelph	Field testing of poplar tree systems as evapotranspiration barriers on decommissioned MSW landfills in southern Ontario.
332	Wang-JieHua; Constabel,-C-P	2004	Planta-. 2004; 220(1): 87-96. 42 ref.	Polyphenol oxidase overexpression in transgenic <i>Populus</i> enhances resistance to herbivory by forest tent caterpillar (<i>Malacosoma disstria</i>).
333	Wang-JieHua; Constabel,-C-P	2004	Physiologia-Plantarum. 2004; 122(3): 344-353. 37 ref.	Three polyphenol oxidases from hybrid poplar are differentially expressed during development and after wounding and elicitor treatment.
334	Wang-Wei; Tsuneda,-A; Gibas,-C-F; Currah,-R-S	2007	Canadian-Journal-of-Botany. 2007; 85(12): 1214-1226. 31 ref.	Cryptosporiopsis species isolated from the roots of aspen in central Alberta: identification, morphology, and interactions with the host, <i>in vitro</i> .
335	Wan-XianChong; Landhausser,-S-M; Lieffers,-VJ; Zwiazek,-J-J	2006	Tree-Physiology. 2006; 26(5): 681-687. 36 ref.	Signals controlling root suckering and adventitious shoot formation in aspen (<i>Populus tremuloides</i>).
336	Wan-XianChong; Landhausser,-S-M; Zwiazek,-J-J; Lieffers,-V-J	2004	Physiologia-Plantarum. 2004; 122(1): 79-85. 45 ref.	Stomatal conductance and xylem sap properties of aspen (<i>Populus tremuloides</i>) in response to low soil temperature.

Référence	Auteurs	Année publiée	Publication	Titre
337	Wei,-H; Meilan,-R; Brunner,-A-M; Skinner,-J-S; Ma,-C-P; Strauss,-S-H	2006	Tree-Physiology. 2006; 26(4): 401-410. Many ref.	Transgenic sterility in <i>Populus</i> : expression properties of the poplar PTLF, Agrobacterium NOS and two minimal 35S promoters in vegetative tissues.
338	Weih,-M; Ronnberg-Wastjung,-AC	2007	Tree-Physiology. 2007; 27(11): 1551-1559. 45 ref.	Shoot biomass growth is related to the vertical leaf nitrogen gradient in <i>Salix</i> canopies.
339	Welham,-C; Van Rees,-K; Seely,-B; Kimmins,-H	2007	Canadian-Journal-of-Forest-Research. 2007; 37(2): 356-370. Many ref.	Projected long-term productivity in Saskatchewan hybrid poplar plantations: weed competition and fertilizer effects.
340	Weng-Y	2004	MSc Thesis - Lakehead University	Adaptive variation in cold hardiness among aspen (<i>Populus tremuloides</i>) provenances.
341	White,-L	2006	Published through ForestFirst, Prince Albert, SK (http://www.forestfirst.ca ; Report and tech. sheets - Agroforestry Reports)	Expanding the Saskatchewan Forest Centre - Agroforestry Demonstration Site Network; Planting Hybrid Poplar on Private Land
342	Wikberg,-J; Ogren,-E	2007	Tree-Physiology. 2007; 27(9): 1339-1346. 27 ref.	Variation in drought resistance, drought acclimation and water conservation in four willow cultivars used for biomass production.
343	Wullschleger,-S-D; Yin,-T-M; DiFazio,-S-P; Tschaplinski,-T-J; Gunter,-L-E; Davis,-M-F; Tuskan,-G-A	2005	Canadian-Journal-of-Forest-Research. 2005; 35(8): 1779-1789. 41 ref.	Phenotypic variation in growth and biomass distribution for two advanced-generation pedigrees of hybrid poplar.
344	Yang,-S; Lu,-L; Ni,-Y	2006	Pulp-and-Paper-Canada. 2006; 107(2): 34-37. 22 ref.	Cloned poplar as a new fibre resource for the Chinese pulp and paper industry.
345	Yang-DianQing; Wang-XiangMing; Wan-Hui	2007	Forest-Products-Journal. 2007; 57(7/8): 58-62.	Biological treatment of aspen strands to improve mold resistance and reduce resin consumption of strand panels.
346	Yan-ZhuAng; Adams-KL	2007	Genetics. 2007. 177(4);1987-1996. many ref.	Extensive allelic variation in gene expression in <i>Populus</i> F1 hybrids.
347	Yevtushenko,-D-P; Sidorov,-V-A; Romero,-R; Kay,-W-W; Santosh-Misra	2004	Plant-Science. 2004; 167(4): 715-724. 24 ref.	Wound-inducible promoter from poplar is responsive to fungal infection in transgenic potato.

Référence	Auteurs	Année publiée	Publication	Titre
348	Zabek,-L-M; Prescott,-C-E	2006	Forest-Ecology-and-Management. 2006; 223(1/3): 291-302. 39 ref.	Biomass equations and carbon content of aboveground leafless biomass of hybrid poplar in Coastal British Columbia.
349	Zabek,-L-M; Prescott,-C-E	2007	New-Forests. 2007; 34(1): 13-23. 40 ref.	Steady-state nutrition of hybrid poplar grown from un-rooted cuttings.
350	Zalatan,-R; Gajewski,-K	2006	Tree-Ring Research. 2006. 62(2):75-82. 30 ref.	Dendrochronological potential of <i>Salix alaxensis</i> from the Kuujjua River area, western Canadian Arctic.
351	Zalesny Jr.,-R-S; Riemenschneider,-D-E; Hall,-R-B	2005	Canadian-Journal-of-Forest-Research. 2005; 35(4): 918-929. 37 ref.	Early rooting of dormant hardwood cuttings of <i>Populus</i> : analysis of quantitative genetics and genotype x environment interactions.
352	Zhang-Chi; Hampp,-R; Nehls,-U	2005	Environmental-Biosafety-Research. 2005; 4(4): 235-242. 37 ref.	Investigation of horizontal gene transfer in poplar/ <i>Amanita muscaria</i> ectomycorrhizas.
353	Zhang-DeQiang; Zhang-ZhiYi; Yang-Kai	2006	Canadian-Journal-of-Forest-Research. 2006; 36(8): 2015-2023. 39 ref.	QTL analysis of growth and wood chemical content traits in an interspecific backcross family of white poplar (<i>Populus tomentosa</i> x <i>P. bolleana</i>) x <i>P. tomentosa</i> .